

(5-1) 令和7年度 後期高齢者等健康診査における年齢層別の検査有所見率（女性）

		年度	75歳未満		75～79歳		80～84歳		85～89歳	
腹囲	女性90以上	R4	5	26.3%	1,196	21.1%	1,311	23.9%	818	24.8%
		R5	6	33.3%	1,232	20.7%	1,253	22.2%	789	23.5%
		R6	14	46.7%	1,357	20.9%	1,254	21.7%	831	23.9%
		R7	8	40.0%	1,515	21.8%	1,244	22.1%	846	24.0%
		前年比	-6	-6.7%	158	0.9%	-10	0.4%	15	0.1%
BMI	25以上	R4	5	26.3%	1,157	20.4%	1,125	20.5%	661	20.1%
		R5	6	33.3%	1,217	20.4%	1,111	19.6%	640	19.1%
		R6	12	40.0%	1,291	19.9%	1,146	19.8%	664	19.1%
		R7	9	45.0%	1,407	20.3%	1,063	18.9%	652	18.5%
		前年比	-3	5.0%	116	0.4%	-83	-0.9%	-12	-0.6%
	20以下	R4	3	15.8%	1,450	25.6%	1,474	26.9%	930	28.2%
		R5	5	27.8%	1,604	26.9%	1,576	27.9%	1,010	30.1%
		R6	4	13.3%	1,794	27.6%	1,582	27.3%	1,005	28.9%
		R7	4	20.0%	1,872	27.0%	1,552	27.6%	1,034	29.3%
		前年比	0	6.7%	78	-0.6%	-30	0.3%	29	0.4%
	18.5未満	R4	0	0.0%	618	10.9%	666	12.2%	445	13.5%
		R5	2	11.1%	742	12.4%	721	12.7%	458	13.7%
		R6	3	10.0%	826	12.7%	721	12.5%	457	13.1%
		R7	2	10.0%	895	12.9%	726	12.9%	485	13.8%
		前年比	-1	0.0%	69	0.2%	5	0.4%	28	0.7%
血圧（収縮期）	130以上	R4	7	36.8%	3,345	59.0%	3,342	61.0%	2,104	63.9%
		R5	11	61.1%	3,412	57.2%	3,420	60.5%	2,114	63.1%
		R6	14	46.7%	3,817	58.7%	3,530	61.0%	2,192	63.0%
		R7	13	65.0%	4,047	58.3%	3,447	61.3%	2,223	63.1%
		前年比	-1	18.3%	230	-0.4%	-83	0.3%	31	0.1%
血圧（拡張期）	85以上	R4	3	15.8%	799	14.1%	710	13.0%	376	11.4%
		R5	2	11.1%	842	14.1%	684	12.1%	360	10.7%
		R6	5	16.7%	919	14.1%	710	12.3%	370	10.6%
		R7	3	15.0%	1,018	14.7%	673	12.0%	370	10.5%
		前年比	-2	-1.7%	99	0.6%	-37	-0.3%	0	-0.1%
血糖（空腹時）	100以上	R4	3	15.8%	1,211	21.4%	1,155	21.1%	750	22.8%
		R5	4	22.2%	1,388	23.3%	1,215	21.5%	777	23.2%
		R6	2	6.7%	1,785	27.5%	1,494	25.8%	898	25.8%
		R7	4	20.0%	1,727	24.9%	1,348	24.0%	820	23.3%
		前年比	2	13.3%	-58	-2.6%	-146	-1.8%	-78	-2.5%

		年度	75歳未満		75~79歳		80~84歳		85~89歳	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	11	57.9%	2,739	48.3%	2,718	49.6%	1,692	51.4%
		R5	9	50.0%	3,657	61.3%	3,488	61.7%	2,046	61.0%
		R6	20	66.7%	4,232	65.1%	3,833	66.2%	2,258	64.9%
		R7	14	70.0%	4,640	66.8%	3,785	67.3%	2,293	65.1%
		前年比	-6	3.3%	408	1.7%	-48	1.1%	35	0.2%
尿糖	±以上	R4	0	0.0%	242	4.3%	229	4.2%	159	4.8%
		R5	0	0.0%	275	4.6%	284	5.0%	191	5.7%
		R6	1	3.3%	337	5.2%	346	6.0%	261	7.5%
		R7	3	15.0%	407	5.9%	385	6.8%	277	7.9%
		前年比	2	11.7%	70	0.7%	39	0.8%	16	0.4%
中性脂肪	29以下 150以上	R4	5	26.3%	1,051	18.5%	1,044	19.1%	641	19.5%
		R5	7	38.9%	1,094	18.3%	1,080	19.1%	602	18.0%
		R6	9	30.0%	1,161	17.9%	1,028	17.7%	624	17.9%
		R7	5	25.0%	1,173	16.9%	953	16.9%	572	16.2%
		前年比	-4	-5.0%	12	-1.0%	-75	-0.8%	-52	-1.7%
HDL-C	39以下	R4	1	5.3%	86	1.5%	108	2.0%	107	3.2%
		R5	0	0.0%	91	1.5%	116	2.1%	95	2.8%
		R6	1	3.3%	117	1.8%	124	2.1%	95	2.7%
		R7	0	0.0%	100	1.4%	91	1.6%	77	2.2%
		前年比	-1	-3.3%	-17	-0.4%	-33	-0.5%	-18	-0.5%
LDL-C	59以下 120以上	R4	8	42.1%	2,757	48.6%	2,423	44.2%	1,361	41.3%
		R5	8	44.4%	3,049	51.1%	2,574	45.5%	1,456	43.4%
		R6	14	46.7%	3,328	51.2%	2,677	46.2%	1,529	44.0%
		R7	8	40.0%	3,416	49.2%	2,586	46.0%	1,472	41.8%
		前年比	-6	-6.7%	88	-2.0%	-91	-0.2%	-57	-2.2%
AST (GOT)	31以上	R4	2	10.5%	611	10.8%	686	12.5%	411	12.5%
		R5	4	22.2%	600	10.1%	645	11.4%	367	10.9%
		R6	4	13.3%	583	9.0%	621	10.7%	379	10.9%
		R7	1	5.0%	702	10.1%	595	10.6%	360	10.2%
		前年比	-3	-8.3%	119	1.1%	-26	-0.1%	-19	-0.7%
ALT (GPT)	31以上	R4	0	0.0%	357	6.3%	345	6.3%	170	5.2%
		R5	3	16.7%	374	6.3%	308	5.4%	134	4.0%
		R6	4	13.3%	364	5.6%	296	5.1%	161	4.6%
		R7	3	15.0%	472	6.8%	266	4.7%	134	3.8%
		前年比	-1	1.7%	108	1.2%	-30	-0.4%	-27	-0.8%

		年度	75歳未満		75~79歳		80~84歳		85~89歳	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	1	5.3%	341	6.0%	353	6.4%	194	5.9%
		R5	2	11.1%	345	5.8%	344	6.1%	173	5.2%
		R6	3	10.0%	378	5.8%	326	5.6%	194	5.6%
		R7	3	15.0%	449	6.5%	313	5.6%	184	5.2%
		前年比	0	5.0%	71	0.7%	-13	0.0%	-10	-0.4%
総蛋白	6.4以下 8.0以上	R4	1	5.3%	364	6.4%	461	8.4%	338	10.3%
		R5	0	0.0%	446	7.5%	484	8.6%	346	10.3%
		R6	2	6.7%	494	7.6%	541	9.3%	357	10.3%
		R7	0	0.0%	527	7.6%	464	8.2%	360	10.2%
		前年比	-2	-6.7%	33	0.0%	-77	-1.1%	3	-0.1%
血清クレアチニン	女性0.71以上	R4	8	42.1%	2,323	41.0%	2,688	49.1%	1,955	59.4%
		R5	8	44.4%	2,421	40.6%	2,751	48.6%	1,985	59.2%
		R6	10	33.3%	2,608	40.1%	2,693	46.5%	1,949	56.1%
		R7	7	35.0%	3,185	45.9%	2,979	52.9%	2,141	60.8%
		前年比	-3	1.7%	577	5.8%	286	6.4%	192	4.7%
eGFR	60未満	R4	7	36.8%	2,228	39.3%	2,739	50.0%	2,090	63.4%
		R5	6	33.3%	2,360	39.6%	2,859	50.6%	2,098	62.6%
		R6	9	30.0%	2,524	38.8%	2,789	48.2%	2,097	60.3%
		R7	7	35.0%	3,115	44.9%	3,101	55.1%	2,308	65.5%
		前年比	-2	5.0%	591	6.1%	312	6.9%	211	5.2%
	45未満	R4	0	0.0%	361	6.4%	674	12.3%	716	21.7%
		R5	3	16.7%	380	6.4%	687	12.1%	746	22.3%
		R6	2	6.7%	380	5.8%	671	11.6%	690	19.8%
		R7	3	15.0%	500	7.2%	730	13.0%	782	22.2%
		前年比	1	8.3%	120	1.4%	59	1.4%	92	2.4%
尿蛋白	±以上	R4	2	10.5%	1,094	19.3%	1,236	22.6%	989	30.0%
		R5	4	22.2%	1,214	20.4%	1,340	23.7%	983	29.3%
		R6	7	23.3%	1,375	21.1%	1,402	24.2%	1,056	30.4%
		R7	7	35.0%	1,399	20.2%	1,405	25.0%	1,038	29.5%
		前年比	0	11.7%	24	-0.9%	3	0.8%	-18	-0.9%
尿潜血	±以上	R4	7	36.8%	2,604	45.9%	2,631	48.0%	1,620	49.2%
		R5	3	16.7%	2,238	37.5%	2,235	39.5%	1,344	40.1%
		R6	12	40.0%	2,418	37.2%	2,349	40.6%	1,454	41.8%
		R7	5	25.0%	2,625	37.8%	2,277	40.5%	1,522	43.2%
		前年比	-7	-15.0%	207	0.6%	-72	-0.1%	68	1.4%
尿酸	2.0以下 7.1以上	R4	0	0.0%	154	2.7%	228	4.2%	206	6.3%
		R5	3	16.7%	145	2.4%	225	4.0%	203	6.1%
		R6	0	0.0%	196	3.0%	227	3.9%	179	5.1%
		R7	1	5.0%	239	3.4%	223	4.0%	200	5.7%
		前年比	1	5.0%	43	0.4%	-4	0.1%	21	0.6%

		年度	90~94歳		95~99歳		100歳~		全体	
腹囲	女性90以上	R4	303	24.0%	63	20.5%	9	20.9%	3,705	23.0%
		R5	309	24.1%	72	23.0%	12	29.3%	3,673	22.1%
		R6	314	22.3%	73	22.4%	9	20.0%	3,852	22.0%
		R7	358	23.7%	76	21.3%	9	19.6%	4,056	22.5%
		前年比	44	1.4%	3	-1.1%	0	-0.4%	204	0.5%
BMI	25以上	R4	244	19.3%	46	15.0%	6	14.0%	3,244	20.2%
		R5	221	17.2%	47	15.0%	5	12.2%	3,247	19.6%
		R6	243	17.3%	55	16.9%	3	6.7%	3,414	19.5%
		R7	253	16.8%	52	14.6%	6	13.0%	3,442	19.1%
		前年比	10	-0.5%	-3	-2.3%	3	6.3%	28	-0.4%
	20以下	R4	419	33.1%	127	41.4%	19	44.2%	4,422	27.5%
		R5	440	34.3%	123	39.3%	16	39.0%	4,774	28.7%
		R6	472	33.6%	122	37.4%	22	48.9%	5,001	28.5%
		R7	487	32.3%	135	37.8%	21	45.7%	5,105	28.3%
		前年比	15	-1.3%	13	0.4%	-1	-3.2%	104	-0.2%
	18.5未満	R4	222	17.5%	73	23.8%	10	23.3%	2,034	12.7%
		R5	240	18.7%	69	22.0%	7	17.1%	2,239	13.5%
		R6	246	17.5%	68	20.9%	9	20.0%	2,330	13.3%
		R7	249	16.5%	76	21.3%	11	23.9%	2,444	13.6%
		前年比	3	-1.0%	8	0.4%	2	3.9%	114	0.3%
血圧（収縮期）	130以上	R4	792	62.6%	171	55.7%	17	39.5%	9,778	60.8%
		R5	782	60.9%	180	57.5%	20	48.8%	9,939	59.8%
		R6	843	60.0%	184	56.4%	25	55.6%	10,605	60.4%
		R7	928	61.5%	187	52.4%	21	45.7%	10,866	60.3%
		前年比	85	1.5%	3	-4.0%	-4	-9.9%	261	-0.1%
血圧（拡張期）	85以上	R4	125	9.9%	27	8.8%	2	4.7%	2,042	12.7%
		R5	147	11.4%	29	9.3%	3	7.3%	2,067	12.4%
		R6	140	10.0%	25	7.7%	3	6.7%	2,172	12.4%
		R7	156	10.3%	33	9.2%	1	2.2%	2,254	12.5%
		前年比	16	0.3%	8	1.5%	-2	-4.5%	82	0.1%
血糖（空腹時）	100以上	R4	251	19.8%	61	19.9%	3	7.0%	3,434	21.4%
		R5	302	23.5%	66	21.1%	4	9.8%	3,756	22.6%
		R6	351	25.0%	66	20.2%	8	17.8%	4,604	26.2%
		R7	354	23.5%	63	17.6%	11	23.9%	4,327	24.0%
		前年比	3	-1.5%	-3	-2.6%	3	6.1%	-277	-2.2%

		年度	90~94歳		95~99歳		100歳~		全体	
HbA1c	5.6以上	R4	594	47.0%	151	49.2%	13	30.2%	7,918	49.3%
		R5	746	58.1%	151	48.2%	18	43.9%	10,115	60.9%
		R6	920	65.5%	183	56.1%	20	44.4%	11,466	65.4%
		R7	980	64.9%	200	56.0%	25	54.3%	11,937	66.2%
		前年比	60	-0.6%	17	-0.1%	5	9.9%	471	0.8%
尿糖	±以上	R4	64	5.1%	17	5.5%	3	7.0%	714	4.4%
		R5	69	5.4%	12	3.8%	0	0.0%	831	5.0%
		R6	84	6.0%	14	4.3%	3	6.7%	1,046	6.0%
		R7	125	8.3%	34	9.5%	2	4.3%	1,233	6.8%
		前年比	15	0.6%	2	0.5%	3	6.7%	215	1.0%
中性脂肪	29以下 150以上	R4	245	19.4%	42	13.7%	10	23.3%	3,038	18.9%
		R5	240	18.7%	47	15.0%	8	19.5%	3,078	18.5%
		R6	229	16.3%	51	15.7%	5	11.1%	3,107	17.7%
		R7	259	17.2%	53	14.8%	9	19.6%	3,024	16.8%
		前年比	-11	-2.4%	4	0.7%	-3	-8.4%	29	-0.8%
HDL-C	39以下	R4	50	4.0%	10	3.3%	8	18.6%	370	2.3%
		R5	49	3.8%	17	5.4%	3	7.3%	371	2.2%
		R6	50	3.6%	17	5.2%	2	4.4%	406	2.3%
		R7	45	3.0%	17	4.8%	3	6.5%	333	1.8%
		前年比	-5	-0.6%	0	-0.4%	1	2.1%	-73	-0.5%
LDL-C	59以下 120以上	R4	487	38.5%	112	36.5%	16	37.2%	7,164	44.6%
		R5	495	38.6%	108	34.5%	20	48.8%	7,710	46.4%
		R6	556	39.6%	107	32.8%	18	40.0%	8,229	46.9%
		R7	605	40.1%	114	31.9%	21	45.7%	8,222	45.6%
		前年比	61	1.0%	-1	-1.7%	-2	-8.8%	519	0.5%
AST (GOT)	31以上	R4	129	10.2%	41	13.4%	1	2.3%	1,881	11.7%
		R5	144	11.2%	27	8.6%	5	12.2%	1,792	10.8%
		R6	134	9.5%	26	8.0%	6	13.3%	1,753	10.0%
		R7	163	10.8%	38	10.6%	3	6.5%	1,862	10.3%
		前年比	-10	-1.7%	-1	-0.6%	1	1.1%	-39	-0.8%
ALT (GPT)	31以上	R4	46	3.6%	10	3.3%	0	0.0%	928	5.8%
		R5	47	3.7%	5	1.6%	2	4.9%	873	5.3%
		R6	52	3.7%	11	3.4%	0	0.0%	888	5.1%
		R7	56	3.7%	20	5.6%	0	0.0%	951	5.3%
		前年比	5	0.0%	6	1.8%	-2	-4.9%	15	-0.2%

		年度	90～94歳		95～99歳		100歳～		全体	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	60	4.7%	20	6.5%	2	4.7%	971	6.0%
		R5	62	4.8%	16	5.1%	3	7.3%	945	5.7%
		R6	71	5.1%	19	5.8%	2	4.4%	993	5.7%
		R7	85	5.6%	18	5.0%	2	4.3%	1,054	5.8%
		前年比	9	0.3%	3	0.7%	-1	-2.9%	48	0.0%
総蛋白	6.4以下 8.0以上	R4	165	13.0%	56	18.2%	17	39.5%	1,402	8.7%
		R5	165	12.9%	53	16.9%	14	34.1%	1,508	9.1%
		R6	186	13.2%	65	19.9%	18	40.0%	1,663	9.5%
		R7	202	13.4%	65	18.2%	8	17.4%	1,626	9.0%
		前年比	21	0.3%	12	3.0%	4	5.9%	155	0.4%
血清クレアチニン	女性0.71以上	R4	805	63.6%	223	72.6%	29	67.4%	8,031	50.0%
		R5	817	63.6%	225	71.9%	32	78.0%	8,239	49.6%
		R6	883	62.8%	227	69.6%	32	71.1%	8,402	47.9%
		R7	986	65.3%	254	71.1%	34	73.9%	9,586	53.2%
		前年比	103	2.5%	27	1.5%	2	2.8%	1,184	5.3%
eGFR	60未満	R4	872	68.9%	241	78.5%	30	69.8%	8,207	51.1%
		R5	888	69.2%	246	78.6%	34	82.9%	8,491	51.1%
		R6	960	68.3%	258	79.1%	37	82.2%	8,674	49.4%
		R7	1,069	70.8%	277	77.6%	36	78.3%	9,913	55.0%
		前年比	109	2.5%	19	-1.5%	-1	-3.9%	1,239	5.6%
	45未満	R4	386	30.5%	134	43.6%	17	39.5%	2,288	14.2%
		R5	400	31.2%	146	46.6%	15	36.6%	2,377	14.3%
		R6	419	29.8%	138	42.3%	20	44.4%	2,320	13.2%
		R7	468	31.0%	152	42.6%	17	37.0%	2,652	14.7%
		前年比	49	1.2%	14	0.3%	-3	-7.4%	332	1.5%
尿蛋白	±以上	R4	402	31.8%	98	31.9%	9	20.9%	3,830	23.8%
		R5	455	35.4%	90	28.8%	11	26.8%	4,097	24.7%
		R6	454	32.3%	108	33.1%	18	40.0%	4,420	25.2%
		R7	520	34.5%	114	31.9%	13	28.3%	4,496	24.9%
		前年比	66	2.2%	6	-1.2%	-5	-11.7%	76	-0.3%
尿潜血	±以上	R4	501	39.6%	121	39.4%	7	16.3%	6,308	39.2%
		R5	511	39.8%	105	33.5%	10	24.4%	6,446	38.8%
		R6	583	41.5%	107	32.8%	14	31.1%	6,937	39.5%
		R7	620	41.1%	118	33.1%	18	39.1%	7,185	39.9%
		前年比	37	-0.4%	11	0.3%	4	8.0%	248	0.4%
尿酸	2.0以下 7.1以上	R4	109	8.6%	31	10.1%	6	14.0%	734	4.6%
		R5	101	7.9%	43	13.7%	6	14.6%	726	4.4%
		R6	98	7.0%	44	13.5%	5	11.1%	749	4.3%
		R7	94	6.2%	45	12.6%	7	15.2%	809	4.5%
		前年比	-4	-0.8%	1	-0.9%	2	4.1%	60	0.2%

腹囲は男性85cm、女性90cm以上を異常とみなしているが、男性で56.1%、女性は22.5%と有病率は男性に多く認め、年齢層解析でも75歳未満から94歳未満まで50%を超えていた。

BMIの解析では25以上の肥満は男性24.4%、女性でも19.1%と高値であり、18.5以下の痩せはそれぞれ5.4%、13.6%と肥満よりは少ない結果となっていた。

高血圧症に関しては後期高齢になると有病率は収縮期血圧で全体57.9%、男性で54.4%、女性では60.3%と高値を示した。年齢解析で100歳以上を除くどの年齢層でも50%を超えていた。拡張期血圧は男女とも12%程度であり有病率は収縮期血圧ほど高くなかった。

HbA1cの有所見率は、全体で66.5%と高く男性で前年比0.8%、女性で前年比1.2%の上昇であった。

(5-1) 令和7年度 後期高齢者等健康診査における年齢層別の検査有所見率（生保）（全体）

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
腹囲	男性85以上 女性90以上	R4	6	42.9%	18	64.3%	38	61.3%	51	65.4%
		R5	10	47.6%	10	34.5%	32	50.8%	53	66.3%
		R6	21	65.6%	19	65.5%	29	50.0%	54	69.2%
		R7	14	43.8%	27	57.4%	29	47.5%	44	57.1%
		前年比	-7	-21.9%	8	-8.1%	0	-2.5%	-10	-12.1%
BMI	25以上	R4	6	42.9%	15	53.6%	36	58.1%	44	56.4%
		R5	9	42.9%	11	37.9%	34	54.0%	44	55.0%
		R6	17	53.1%	19	65.5%	27	46.6%	45	57.7%
		R7	11	34.4%	25	53.2%	31	50.8%	42	54.5%
		前年比	-6	-18.7%	6	-12.3%	4	4.2%	-3	-3.2%
	20以下	R4	4	28.6%	1	3.6%	8	12.9%	10	12.8%
		R5	4	19.0%	4	13.8%	6	9.5%	16	20.0%
		R6	5	15.6%	1	3.4%	7	12.1%	14	17.9%
		R7	8	25.0%	8	17.0%	6	9.8%	9	11.7%
		前年比	3	9.4%	7	13.6%	-1	-2.3%	-5	-6.2%
	18.5未満	R4	3	21.4%	0	0.0%	1	1.6%	5	6.4%
		R5	2	9.5%	1	3.4%	4	6.3%	9	11.3%
		R6	3	9.4%	0	0.0%	1	1.7%	9	11.5%
		R7	1	3.1%	4	8.5%	3	4.9%	5	6.5%
		前年比	-2	-6.3%	4	8.5%	2	3.2%	-4	-5.0%
血圧（収縮期）	130以上	R4	2	14.3%	7	25.0%	20	32.3%	23	29.5%
		R5	5	23.8%	5	17.2%	15	23.8%	26	32.5%
		R6	4	12.5%	11	37.9%	14	24.1%	31	39.7%
		R7	6	18.8%	16	34.0%	18	29.5%	27	35.1%
		前年比	2	6.3%	5	-3.9%	4	5.4%	-4	-4.6%
血圧（拡張期）	85以上	R4	4	28.6%	4	14.3%	15	24.2%	14	17.9%
		R5	4	19.0%	4	13.8%	9	14.3%	18	22.5%
		R6	5	15.6%	7	24.1%	10	17.2%	18	23.1%
		R7	8	25.0%	14	29.8%	8	13.1%	17	22.1%
		前年比	3	9.4%	7	5.7%	-2	-4.1%	-1	-1.0%
血糖（空腹時）	100以上	R4	2	14.3%	1	3.6%	10	16.1%	21	26.9%
		R5	1	4.8%	6	20.7%	12	19.0%	25	31.3%
		R6	10	31.3%	4	13.8%	11	19.0%	28	35.9%
		R7	3	9.4%	8	17.0%	14	23.0%	23	29.9%
		前年比	-7	-21.9%	4	3.2%	3	4.0%	-5	-6.0%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	2	14.3%	6	21.4%	22	35.5%	31	39.7%
		R5	3	14.3%	7	24.1%	30	47.6%	39	48.8%
		R6	13	40.6%	6	20.7%	21	36.2%	44	56.4%
		R7	6	18.8%	18	38.3%	30	49.2%	51	66.2%
		前年比	-7	-21.9%	12	17.6%	9	13.0%	7	9.8%
尿糖	±以上	R4	1	7.1%	1	3.6%	8	12.9%	14	17.9%
		R5	2	9.5%	4	13.8%	5	7.9%	14	17.5%
		R6	7	21.9%	1	3.4%	3	5.2%	13	16.7%
		R7	1	3.1%	5	10.6%	6	9.8%	16	20.8%
		前年比	-6	-18.8%	4	7.2%	3	4.6%	3	4.1%
中性脂肪	150以上	R4	5	35.7%	10	35.7%	26	41.9%	31	39.7%
		R5	4	19.0%	10	34.5%	27	42.9%	30	37.5%
		R6	13	40.6%	9	31.0%	19	32.8%	25	32.1%
		R7	5	15.6%	12	25.5%	19	31.1%	20	26.0%
		前年比	-8	-25.0%	3	-5.5%	0	-1.7%	-5	-6.1%
HDL-C	39以下	R4	1	7.1%	5	17.9%	9	14.5%	8	10.3%
		R5	2	9.5%	2	6.9%	8	12.7%	7	8.8%
		R6	3	9.4%	3	10.3%	5	8.6%	5	6.4%
		R7	3	9.4%	3	6.4%	7	11.5%	6	7.8%
		前年比	0	0.0%	0	-3.9%	2	2.9%	1	1.4%
LDL-C	120以上	R4	4	28.6%	12	42.9%	29	46.8%	28	35.9%
		R5	7	33.3%	18	62.1%	24	38.1%	29	36.3%
		R6	17	53.1%	12	41.4%	25	43.1%	27	34.6%
		R7	13	40.6%	16	34.0%	25	41.0%	29	37.7%
		前年比	-4	-12.5%	4	-7.4%	0	-2.1%	2	3.1%
AST (GOT)	31以上	R4	2	14.3%	4	14.3%	10	16.1%	21	26.9%
		R5	3	14.3%	7	24.1%	17	27.0%	27	33.8%
		R6	5	15.6%	7	24.1%	13	22.4%	14	17.9%
		R7	3	9.4%	11	23.4%	7	11.5%	12	15.6%
		前年比	-2	-6.2%	4	-0.7%	-6	-10.9%	-2	-2.3%
ALT (GPT)	31以上	R4	4	28.6%	5	17.9%	22	35.5%	20	25.6%
		R5	3	14.3%	6	20.7%	16	25.4%	23	28.8%
		R6	9	28.1%	11	37.9%	14	24.1%	24	30.8%
		R7	3	9.4%	16	34.0%	15	24.6%	23	29.9%
		前年比	-6	-18.7%	5	-3.9%	1	0.5%	-1	-0.9%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	4	28.6%	6	21.4%	17	27.4%	19	24.4%
		R5	3	14.3%	8	27.6%	16	25.4%	18	22.5%
		R6	4	12.5%	14	48.3%	12	20.7%	16	20.5%
		R7	3	9.4%	14	29.8%	12	19.7%	14	18.2%
		前年比	-1	-3.1%	0	-18.5%	0	-1.0%	-2	-2.3%
総蛋白	6.5未満 8.0以上	R4	1	7.1%	1	3.6%	4	6.5%	6	7.7%
		R5	2	9.5%	3	10.3%	5	7.9%	6	7.5%
		R6	4	12.5%	2	6.9%	7	12.1%	6	7.7%
		R7	6	18.8%	3	6.4%	5	8.2%	9	11.7%
		前年比	2	6.3%	1	-0.5%	-2	-3.9%	3	4.0%
血清クレアチニン	男性1.01以上 女性0.71以上	R4	2	14.3%	7	25.0%	18	29.0%	24	30.8%
		R5	6	28.6%	7	24.1%	20	31.7%	22	27.5%
		R6	4	12.5%	8	27.6%	13	22.4%	23	29.5%
		R7	4	12.5%	6	12.8%	20	32.8%	24	31.2%
		前年比	0	0.0%	-2	-14.8%	7	10.4%	1	1.7%
eGFR	60未満	R4	1	7.1%	3	10.7%	9	14.5%	18	23.1%
		R5	1	4.8%	3	10.3%	14	22.2%	17	21.3%
		R6	3	9.4%	1	3.4%	7	12.1%	19	24.4%
		R7	1	3.1%	4	8.5%	14	23.0%	16	20.8%
		前年比	-2	-6.3%	3	5.1%	7	10.9%	-3	-3.6%
	45未満	R4	0	0.0%	0	0.0%	1	1.6%	4	5.1%
		R5	0	0.0%	0	0.0%	2	3.2%	5	6.3%
		R6	0	0.0%	0	0.0%	2	3.4%	3	3.8%
		R7	0	0.0%	2	4.3%	2	3.3%	4	5.2%
		前年比	0	0.0%	2	4.3%	0	-0.1%	1	1.4%
尿蛋白	±以上	R4	4	28.6%	3	10.7%	17	27.4%	16	20.5%
		R5	4	19.0%	10	34.5%	16	25.4%	22	27.5%
		R6	10	31.3%	3	10.3%	13	22.4%	24	30.8%
		R7	7	21.9%	14	29.8%	14	23.0%	19	24.7%
		前年比	-3	-9.4%	11	19.5%	1	0.6%	-5	-6.1%
尿潜血	±以上	R4	3	21.4%	6	21.4%	14	22.6%	20	25.6%
		R5	5	23.8%	5	17.2%	14	22.2%	16	20.0%
		R6	8	25.0%	4	13.8%	9	15.5%	16	20.5%
		R7	6	18.8%	6	12.8%	20	32.8%	14	18.2%
		前年比	-2	-6.3%	2	-1.0%	11	17.3%	-2	-2.3%
尿酸	2.0以下 7.1以上	R4	2	14.3%	2	7.1%	6	9.7%	10	12.8%
		R5	3	14.3%	3	10.3%	6	9.5%	11	13.8%
		R6	6	18.8%	3	10.3%	10	17.2%	7	9.0%
		R7	5	15.6%	8	17.0%	7	11.5%	8	10.4%
		前年比	-1	-3.2%	5	6.7%	-3	-5.7%	1	1.4%

		年度	60～64歳		65～69歳		70～74歳		全体	
腹囲	男性85以上 女性90以上	R4	38	63.3%	37	55.2%	70	53.4%	258	58.6%
		R5	41	51.3%	37	56.9%	63	54.3%	246	54.2%
		R6	46	61.3%	37	53.6%	53	51.5%	259	58.3%
		R7	49	56.3%	36	57.1%	45	45.0%	244	52.2%
		前年比	3	-5.0%	-1	3.5%	-8	-6.5%	-15	-6.1%
BMI	25以上	R4	32	53.3%	30	44.8%	48	36.6%	211	48.0%
		R5	33	41.3%	24	36.9%	44	37.9%	199	43.8%
		R6	38	50.7%	29	42.0%	40	38.8%	215	48.4%
		R7	40	46.0%	20	31.7%	39	39.0%	208	44.5%
		前年比	2	-4.7%	-9	-10.3%	-1	0.2%	-7	-3.9%
	20以下	R4	9	15.0%	8	11.9%	22	16.8%	62	14.1%
		R5	13	16.3%	8	12.3%	17	14.7%	68	15.0%
		R6	12	16.0%	11	15.9%	17	16.5%	67	15.1%
		R7	19	21.8%	9	14.3%	18	18.0%	77	16.5%
		前年比	7	5.8%	-2	-1.6%	1	1.5%	10	1.4%
	18.5未満	R4	7	11.7%	2	3.0%	12	9.2%	30	6.8%
		R5	9	11.3%	2	3.1%	8	6.9%	35	7.7%
		R6	9	12.0%	9	13.0%	10	9.7%	41	9.2%
		R7	9	10.3%	5	7.9%	7	7.0%	34	7.3%
		前年比	0	-1.7%	-4	-5.1%	-3	-2.7%	-7	-1.9%
血圧（収縮期）	130以上	R4	22	36.7%	21	31.3%	62	47.3%	157	35.7%
		R5	29	36.3%	26	40.0%	57	49.1%	163	35.9%
		R6	30	40.0%	30	43.5%	50	48.5%	170	38.3%
		R7	38	43.7%	31	49.2%	49	49.0%	185	39.6%
		前年比	8	3.7%	1	5.7%	-1	0.5%	15	1.3%
血圧（拡張期）	85以上	R4	11	18.3%	12	17.9%	15	11.5%	75	17.0%
		R5	16	20.0%	12	18.5%	16	13.8%	79	17.4%
		R6	15	20.0%	12	17.4%	14	13.6%	81	18.2%
		R7	26	29.9%	16	25.4%	18	18.0%	107	22.9%
		前年比	11	9.9%	4	8.0%	4	4.4%	26	4.7%
血糖（空腹時）	100以上	R4	15	25.0%	20	29.9%	44	33.6%	113	25.7%
		R5	21	26.3%	20	30.8%	38	32.8%	123	27.1%
		R6	28	37.3%	21	30.4%	31	30.1%	133	30.0%
		R7	18	20.7%	16	25.4%	29	29.0%	111	23.8%
		前年比	-10	-16.6%	-5	-5.0%	-2	-1.1%	-22	-6.2%

		年度	60～64歳		65～69歳		70～74歳		全体	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	33	55.0%	34	50.7%	82	62.6%	210	47.7%
		R5	43	53.8%	42	64.6%	79	68.1%	243	53.5%
		R6	41	54.7%	42	60.9%	60	58.3%	227	51.1%
		R7	42	48.3%	39	61.9%	67	67.0%	253	54.2%
		前年比	1	-6.4%	-3	1.0%	7	8.7%	26	3.1%
尿糖	±以上	R4	8	13.3%	9	13.4%	19	14.5%	60	13.6%
		R5	11	13.8%	14	21.5%	11	9.5%	61	13.4%
		R6	8	10.7%	7	10.1%	12	11.7%	51	11.5%
		R7	12	13.8%	8	12.7%	11	11.0%	59	12.6%
		前年比	4	3.1%	1	2.6%	-1	-0.7%	8	1.1%
中性脂肪	150以上	R4	21	35.0%	22	32.8%	48	36.6%	163	37.0%
		R5	26	32.5%	22	33.8%	35	30.2%	154	33.9%
		R6	20	26.7%	18	26.1%	27	26.2%	131	29.5%
		R7	19	21.8%	14	22.2%	24	24.0%	113	24.2%
		前年比	-1	-4.9%	-4	-3.9%	-3	-2.2%	-18	-5.3%
HDL-C	39以下	R4	10	16.7%	8	11.9%	19	14.5%	60	13.6%
		R5	5	6.3%	7	10.8%	15	12.9%	46	10.1%
		R6	7	9.3%	4	5.8%	11	10.7%	38	8.6%
		R7	4	4.6%	7	11.1%	11	11.0%	41	8.8%
		前年比	-3	-4.7%	3	5.3%	0	0.3%	3	0.2%
LDL-C	120以上	R4	27	45.0%	29	43.3%	48	36.6%	177	40.2%
		R5	35	43.8%	29	44.6%	38	32.8%	180	39.6%
		R6	25	33.3%	27	39.1%	39	37.9%	172	38.7%
		R7	27	31.0%	25	39.7%	46	46.0%	181	38.8%
		前年比	2	-2.3%	-2	0.6%	7	8.1%	9	0.1%
AST (GOT)	31以上	R4	12	20.0%	12	17.9%	14	10.7%	75	17.0%
		R5	14	17.5%	12	18.5%	20	17.2%	100	22.0%
		R6	9	12.0%	11	15.9%	13	12.6%	72	16.2%
		R7	9	10.3%	9	14.3%	11	11.0%	62	13.3%
		前年比	0	-1.7%	-2	-1.6%	-2	-1.6%	-10	-2.9%
ALT (GPT)	31以上	R4	13	21.7%	11	16.4%	14	10.7%	89	20.2%
		R5	14	17.5%	9	13.8%	20	17.2%	91	20.0%
		R6	9	12.0%	12	17.4%	10	9.7%	89	20.0%
		R7	10	11.5%	9	14.3%	10	10.0%	86	18.4%
		前年比	1	-0.5%	-3	-3.1%	0	0.3%	-3	-1.6%

		年度	60～64歳		65～69歳		70～74歳		全体	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	12	20.0%	20	29.9%	20	15.3%	98	22.3%
		R5	15	18.8%	16	24.6%	19	16.4%	95	20.9%
		R6	12	16.0%	15	21.7%	17	16.5%	90	20.3%
		R7	16	18.4%	16	25.4%	13	13.0%	88	18.8%
		前年比	4	2.4%	1	3.7%	-4	-3.5%	-2	-1.5%
総蛋白	6.5未満 8.0以上	R4	5	8.3%	7	10.4%	12	9.2%	36	8.2%
		R5	6	7.5%	11	16.9%	14	12.1%	47	10.4%
		R6	5	6.7%	4	5.8%	9	8.7%	37	8.3%
		R7	11	12.6%	4	6.3%	8	8.0%	46	9.9%
		前年比	6	5.9%	0	0.5%	-1	-0.7%	9	1.6%
血清クレアチニン	男性1.01以上 女性0.71以上	R4	22	36.7%	25	37.3%	57	43.5%	155	35.2%
		R5	28	35.0%	20	30.8%	49	42.2%	152	33.5%
		R6	28	37.3%	26	37.7%	39	37.9%	141	31.8%
		R7	23	26.4%	27	42.9%	42	42.0%	146	31.3%
		前年比	-5	-10.9%	1	5.2%	3	4.1%	5	-0.5%
eGFR	60未満	R4	19	31.7%	27	40.3%	63	48.1%	140	31.8%
		R5	27	33.8%	21	32.3%	52	44.8%	135	29.7%
		R6	23	30.7%	26	37.7%	43	41.7%	122	27.5%
		R7	19	21.8%	24	38.1%	48	48.0%	126	27.0%
		前年比	-4	-8.9%	-2	0.4%	5	6.3%	4	-0.5%
	45未満	R4	4	6.7%	7	10.4%	15	11.5%	31	7.0%
		R5	5	6.3%	5	7.7%	13	11.2%	30	6.6%
		R6	4	5.3%	6	8.7%	10	9.7%	25	5.6%
		R7	2	2.3%	6	9.5%	6	6.0%	22	4.7%
		前年比	-2	-3.0%	0	0.8%	-4	-3.7%	-3	-0.9%
尿蛋白	±以上	R4	18	30.0%	15	22.4%	47	35.9%	120	27.3%
		R5	24	30.0%	17	26.2%	36	31.0%	129	28.4%
		R6	17	22.7%	22	31.9%	30	29.1%	119	26.8%
		R7	16	18.4%	24	38.1%	27	27.0%	121	25.9%
		前年比	-1	-4.3%	2	6.2%	-3	-2.1%	2	-0.9%
尿潜血	±以上	R4	17	28.3%	18	26.9%	30	22.9%	108	24.5%
		R5	24	30.0%	15	23.1%	35	30.2%	114	25.1%
		R6	23	30.7%	14	20.3%	37	35.9%	111	25.0%
		R7	26	29.9%	24	38.1%	28	28.0%	124	26.6%
		前年比	3	-0.8%	10	17.8%	-9	-7.9%	13	1.6%
尿酸	2.0以下 7.1以上	R4	8	13.3%	6	9.0%	16	12.2%	50	11.4%
		R5	6	7.5%	9	13.8%	13	11.2%	51	11.2%
		R6	6	8.0%	6	8.7%	10	9.7%	48	10.8%
		R7	4	4.6%	9	14.3%	9	9.0%	50	10.7%
		前年比	-2	-3.4%	3	5.6%	-1	-0.7%	2	-0.1%

(5-1) 令和7年度 後期高齢者等健康診査における年齢層別の検査有所見率（男性）（生保）

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
腹囲	男性85以上	R4	4	80.0%	11	73.3%	27	84.4%	30	81.1%
		R5	4	57.1%	7	43.8%	22	75.9%	32	80.0%
		R6	14	87.5%	15	75.0%	20	58.8%	35	87.5%
		R7	10	71.4%	20	64.5%	13	59.1%	27	61.4%
		前年比	-4	-16.1%	5	-10.5%	-7	0.3%	-8	-26.1%
BMI	25以上	R4	4	80.0%	9	60.0%	20	62.5%	25	67.6%
		R5	3	42.9%	6	37.5%	18	62.1%	25	62.5%
		R6	10	62.5%	14	70.0%	15	44.1%	26	65.0%
		R7	6	42.9%	16	51.6%	11	50.0%	25	56.8%
		前年比	-4	-19.6%	2	-18.4%	-4	5.9%	-1	-8.2%
	20以下	R4	1	20.0%	1	6.7%	2	6.3%	0	0.0%
		R5	2	28.6%	2	12.5%	3	10.3%	4	10.0%
		R6	2	12.5%	1	5.0%	6	17.6%	4	10.0%
		R7	3	21.4%	5	16.1%	3	13.6%	4	9.1%
		前年比	1	8.9%	4	11.1%	-3	-4.0%	0	-0.9%
	18.5未満	R4	1	20.0%	0	0.0%	0	0.0%	0	0.0%
		R5	1	14.3%	0	0.0%	2	6.9%	1	2.5%
		R6	1	6.3%	0	0.0%	1	2.9%	2	5.0%
		R7	1	7.1%	2	6.5%	1	4.5%	1	2.3%
		前年比	0	0.8%	2	6.5%	0	1.6%	-1	-2.7%
血圧（収縮期）	130以上	R4	2	40.0%	3	20.0%	11	34.4%	16	43.2%
		R5	3	42.9%	4	25.0%	5	17.2%	19	47.5%
		R6	2	12.5%	9	45.0%	9	26.5%	20	50.0%
		R7	3	21.4%	12	38.7%	5	22.7%	19	43.2%
		前年比	1	8.9%	3	-6.3%	-4	-3.8%	-1	-6.8%
血圧（拡張期）	85以上	R4	4	80.0%	3	20.0%	10	31.3%	8	21.6%
		R5	2	28.6%	3	18.8%	5	17.2%	15	37.5%
		R6	3	18.8%	5	25.0%	8	23.5%	13	32.5%
		R7	3	21.4%	10	32.3%	4	18.2%	13	29.5%
		前年比	0	2.6%	5	7.3%	-4	-5.3%	0	-3.0%
血糖（空腹時）	100以上	R4	0	0.0%	1	6.7%	8	25.0%	14	37.8%
		R5	0	0.0%	5	31.3%	6	20.7%	14	35.0%
		R6	5	31.3%	3	15.0%	7	20.6%	15	37.5%
		R7	1	7.1%	7	22.6%	4	18.2%	16	36.4%
		前年比	-4	-24.2%	4	7.6%	-3	-2.4%	1	-1.1%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	2	40.0%	3	20.0%	11	34.4%	17	45.9%
		R5	0	0.0%	2	12.5%	16	55.2%	23	57.5%
		R6	6	37.5%	4	20.0%	13	38.2%	26	65.0%
		R7	2	14.3%	11	35.5%	11	50.0%	29	65.9%
		前年比	-4	-23.2%	7	15.5%	-2	11.8%	3	0.9%
尿糖	±以上	R4	1	20.0%	1	6.7%	7	21.9%	6	16.2%
		R5	0	0.0%	2	12.5%	3	10.3%	9	22.5%
		R6	3	18.8%	0	0.0%	3	8.8%	11	27.5%
		R7	0	0.0%	4	12.9%	2	9.1%	13	29.5%
		前年比	-3	-18.8%	4	12.9%	-1	0.3%	2	2.0%
中性脂肪	150以上	R4	4	80.0%	7	46.7%	18	56.3%	15	40.5%
		R5	2	28.6%	7	43.8%	18	62.1%	15	37.5%
		R6	8	50.0%	8	40.0%	10	29.4%	12	30.0%
		R7	4	28.6%	8	25.8%	7	31.8%	12	27.3%
		前年比	-4	-21.4%	0	-14.2%	-3	2.4%	0	-2.7%
HDL-C	39以下	R4	1	20.0%	4	26.7%	6	18.8%	6	16.2%
		R5	1	14.3%	2	12.5%	6	20.7%	6	15.0%
		R6	3	18.8%	3	15.0%	3	8.8%	3	7.5%
		R7	2	14.3%	3	9.7%	3	13.6%	5	11.4%
		前年比	-1	-4.5%	0	-5.3%	0	4.8%	2	3.9%
LDL-C	120以上	R4	2	40.0%	4	26.7%	10	31.3%	12	32.4%
		R5	2	28.6%	10	62.5%	9	31.0%	12	30.0%
		R6	9	56.3%	7	35.0%	12	35.3%	11	27.5%
		R7	6	42.9%	10	32.3%	8	36.4%	15	34.1%
		前年比	-3	-13.4%	3	-2.7%	-4	1.1%	4	6.6%
AST (GOT)	31以上	R4	1	20.0%	4	26.7%	9	28.1%	8	21.6%
		R5	1	14.3%	3	18.8%	9	31.0%	17	42.5%
		R6	2	12.5%	6	30.0%	10	29.4%	6	15.0%
		R7	2	14.3%	10	32.3%	5	22.7%	10	22.7%
		前年比	0	1.8%	4	2.3%	-5	-6.7%	4	7.7%
ALT (GPT)	31以上	R4	3	60.0%	4	26.7%	15	46.9%	9	24.3%
		R5	2	28.6%	2	12.5%	10	34.5%	15	37.5%
		R6	7	43.8%	9	45.0%	11	32.4%	15	37.5%
		R7	2	14.3%	13	41.9%	8	36.4%	18	40.9%
		前年比	-5	-29.5%	4	-3.1%	-3	4.0%	3	3.4%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	4	80.0%	3	20.0%	12	37.5%	10	27.0%
		R5	2	28.6%	4	25.0%	8	27.6%	12	30.0%
		R6	3	18.8%	12	60.0%	6	17.6%	7	17.5%
		R7	2	14.3%	11	35.5%	3	13.6%	10	22.7%
		前年比	-1	-4.5%	-1	-24.5%	-3	-4.0%	3	5.2%
総蛋白	6.5未満 8.0以上	R4	0	0.0%	1	6.7%	2	6.3%	3	8.1%
		R5	1	14.3%	1	6.3%	3	10.3%	3	7.5%
		R6	3	18.8%	1	5.0%	6	17.6%	3	7.5%
		R7	5	35.7%	2	6.5%	2	9.1%	6	13.6%
		前年比	2	16.9%	1	1.5%	-4	-8.5%	3	6.1%
血清クレアチニン	男性1.01以上	R4	0	0.0%	4	26.7%	7	21.9%	12	32.4%
		R5	2	28.6%	3	18.8%	7	24.1%	8	20.0%
		R6	2	12.5%	4	20.0%	4	11.8%	9	22.5%
		R7	2	14.3%	3	9.7%	4	18.2%	10	22.7%
		前年比	0	1.8%	-1	-10.3%	0	6.4%	1	0.2%
eGFR	60未満	R4	0	0.0%	2	13.3%	5	15.6%	11	29.7%
		R5	1	14.3%	2	12.5%	7	24.1%	8	20.0%
		R6	2	12.5%	1	5.0%	2	5.9%	9	22.5%
		R7	1	7.1%	2	6.5%	3	13.6%	9	20.5%
		前年比	-1	-5.4%	1	1.5%	1	7.7%	0	-2.0%
	45未満	R4	0	0.0%	0	0.0%	0	0.0%	2	5.4%
		R5	0	0.0%	0	0.0%	1	3.4%	3	7.5%
		R6	0	0.0%	0	0.0%	1	2.9%	2	5.0%
		R7	0	0.0%	1	3.2%	1	4.5%	1	2.3%
		前年比	0	0.0%	1	3.2%	0	1.6%	-1	-2.7%
尿蛋白	±以上	R4	0	0.0%	2	13.3%	9	28.1%	11	29.7%
		R5	2	28.6%	5	31.3%	9	31.0%	13	32.5%
		R6	7	43.8%	3	15.0%	7	20.6%	11	27.5%
		R7	3	21.4%	10	32.3%	5	22.7%	14	31.8%
		前年比	-4	-22.4%	7	17.3%	-2	2.1%	3	4.3%
尿潜血	±以上	R4	0	0.0%	1	6.7%	1	3.1%	8	21.6%
		R5	0	0.0%	3	18.8%	3	10.3%	7	17.5%
		R6	2	12.5%	3	15.0%	4	11.8%	5	12.5%
		R7	1	7.1%	3	9.7%	7	31.8%	6	13.6%
		前年比	-1	-5.4%	0	-5.3%	3	20.0%	1	1.1%
尿酸	2.0以下 701以上	R4	1	20.0%	2	13.3%	1	3.1%	6	16.2%
		R5	2	28.6%	2	12.5%	3	10.3%	7	17.5%
		R6	3	18.8%	2	10.0%	7	20.6%	5	12.5%
		R7	3	21.4%	7	22.6%	2	9.1%	5	11.4%
		前年比	0	2.6%	5	12.6%	-5	-11.5%	0	-1.1%

		年度	60～64歳		65～69歳		70～74歳		全体	
腹囲	男性85以上	R4	26	76.5%	24	66.7%	46	70.8%	168	75.0%
		R5	28	60.9%	22	68.8%	38	69.1%	153	68.0%
		R6	30	75.0%	18	62.1%	33	70.2%	165	73.0%
		R7	33	78.6%	22	61.1%	26	60.5%	151	65.1%
		前年比	3	3.6%	4	-1.0%	-7	-9.7%	-14	-7.9%
BMI	25以上	R4	18	52.9%	17	47.2%	27	41.5%	120	53.6%
		R5	19	41.3%	12	37.5%	24	43.6%	107	47.6%
		R6	20	50.0%	10	34.5%	22	46.8%	117	51.8%
		R7	22	52.4%	6	16.7%	19	44.2%	105	45.3%
		前年比	2	2.4%	-4	-17.8%	-3	-2.6%	-12	-6.5%
	20以下	R4	4	11.8%	3	8.3%	8	12.3%	19	8.5%
		R5	4	8.7%	4	12.5%	5	9.1%	24	10.7%
		R6	2	5.0%	4	13.8%	4	8.5%	23	10.2%
		R7	3	7.1%	5	13.9%	5	11.6%	28	12.1%
		前年比	1	2.1%	1	0.1%	1	3.1%	5	1.9%
	18.5未満	R4	4	11.8%	0	0.0%	3	4.6%	8	3.6%
		R5	3	6.5%	0	0.0%	2	3.6%	9	4.0%
		R6	2	5.0%	2	6.9%	2	4.3%	10	4.4%
		R7	1	2.4%	2	5.6%	1	2.3%	9	3.9%
		前年比	-1	-2.6%	0	-1.3%	-1	-2.0%	-1	-0.5%
血圧（収縮期）	130以上	R4	8	23.5%	8	22.2%	29	44.6%	77	34.4%
		R5	21	45.7%	14	43.8%	29	52.7%	95	42.2%
		R6	17	42.5%	12	41.4%	22	46.8%	91	40.3%
		R7	19	45.2%	20	55.6%	22	51.2%	100	43.1%
		前年比	2	2.7%	8	14.2%	0	4.4%	9	2.8%
血圧（拡張期）	85以上	R4	7	20.6%	9	25.0%	8	12.3%	49	21.9%
		R5	11	23.9%	5	15.6%	7	12.7%	48	21.3%
		R6	9	22.5%	5	17.2%	4	8.5%	47	20.8%
		R7	13	31.0%	12	33.3%	6	14.0%	61	26.3%
		前年比	4	8.5%	7	16.1%	2	5.5%	14	5.5%
血糖（空腹時）	100以上	R4	9	26.5%	12	33.3%	27	41.5%	71	31.7%
		R5	14	30.4%	9	28.1%	20	36.4%	68	30.2%
		R6	18	45.0%	8	27.6%	14	29.8%	70	31.0%
		R7	8	19.0%	10	27.8%	11	25.6%	57	24.6%
		前年比	-10	-26.0%	2	0.2%	-3	-4.2%	-13	-6.4%

		年度	60～64歳		65～69歳		70～74歳		全体	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	19	55.9%	17	47.2%	39	60.0%	108	48.2%
		R5	26	56.5%	18	56.3%	40	72.7%	125	55.6%
		R6	22	55.0%	18	62.1%	29	61.7%	118	52.2%
		R7	17	40.5%	24	66.7%	32	74.4%	126	54.3%
		前年比	-5	-14.5%	6	4.6%	3	12.7%	8	2.1%
尿糖	±以上	R4	5	14.7%	5	13.9%	16	24.6%	41	18.3%
		R5	9	19.6%	9	28.1%	8	14.5%	40	17.8%
		R6	3	7.5%	5	17.2%	7	14.9%	32	14.2%
		R7	6	14.3%	7	19.4%	4	9.3%	36	15.5%
		前年比	3	6.8%	2	2.2%	-3	-5.6%	4	1.3%
中性脂肪	150以上	R4	11	32.4%	17	47.2%	25	38.5%	97	43.3%
		R5	17	37.0%	16	50.0%	22	40.0%	97	43.1%
		R6	14	35.0%	9	31.0%	13	27.7%	74	32.7%
		R7	12	28.6%	7	19.4%	10	23.3%	60	25.9%
		前年比	-2	-6.4%	-2	-11.6%	-3	-4.4%	-14	-6.8%
HDL-C	39以下	R4	9	26.5%	7	19.4%	16	24.6%	49	21.9%
		R5	4	8.7%	6	18.8%	11	20.0%	36	16.0%
		R6	6	15.0%	3	10.3%	8	17.0%	29	12.8%
		R7	4	9.5%	5	13.9%	9	20.9%	31	13.4%
		前年比	-2	-5.5%	2	3.6%	1	3.9%	2	0.6%
LDL-C	120以上	R4	14	41.2%	16	44.4%	24	36.9%	82	36.6%
		R5	21	45.7%	12	37.5%	11	20.0%	77	34.2%
		R6	17	42.5%	11	37.9%	12	25.5%	79	35.0%
		R7	12	28.6%	14	38.9%	17	39.5%	82	35.3%
		前年比	-5	-13.9%	3	1.0%	5	14.0%	3	0.3%
AST (GOT)	31以上	R4	8	23.5%	10	27.8%	6	9.2%	46	20.5%
		R5	8	17.4%	6	18.8%	11	20.0%	55	24.4%
		R6	2	5.0%	6	20.7%	5	10.6%	37	16.4%
		R7	3	7.1%	6	16.7%	6	14.0%	42	18.1%
		前年比	1	2.1%	0	-4.0%	1	3.4%	5	1.7%
ALT (GPT)	31以上	R4	9	26.5%	9	25.0%	7	10.8%	56	25.0%
		R5	10	21.7%	3	9.4%	13	23.6%	55	24.4%
		R6	3	7.5%	4	13.8%	8	17.0%	57	25.2%
		R7	8	19.0%	6	16.7%	6	14.0%	61	26.3%
		前年比	5	11.5%	2	2.9%	-2	-3.0%	4	1.1%

		年度	60～64歳		65～69歳		70～74歳		全体	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	7	20.6%	16	44.4%	11	16.9%	63	28.1%
		R5	11	23.9%	11	34.4%	10	18.2%	58	25.8%
		R6	7	17.5%	6	20.7%	10	21.3%	51	22.6%
		R7	8	19.0%	10	27.8%	7	16.3%	51	22.0%
		前年比	1	1.5%	4	7.1%	-3	-5.0%	0	-0.6%
総蛋白	6.5未満 8.0以上	R4	4	11.8%	2	5.6%	5	7.7%	17	7.6%
		R5	1	2.2%	8	25.0%	8	14.5%	25	11.1%
		R6	3	7.5%	1	3.4%	3	6.4%	20	8.8%
		R7	4	9.5%	3	8.3%	5	11.6%	27	11.6%
		前年比	1	2.0%	2	4.9%	2	5.2%	7	2.8%
血清クレアチニン	男性1.01以上	R4	9	26.5%	15	41.7%	21	32.3%	68	30.4%
		R5	11	23.9%	8	25.0%	17	30.9%	56	24.9%
		R6	13	32.5%	10	34.5%	11	23.4%	53	23.5%
		R7	9	21.4%	10	27.8%	15	34.9%	53	22.8%
		前年比	-4	-11.1%	0	-6.7%	4	11.5%	0	-0.7%
eGFR	60未満	R4	11	32.4%	18	50.0%	30	46.2%	77	34.4%
		R5	12	26.1%	10	31.3%	25	45.5%	65	28.9%
		R6	14	35.0%	12	41.4%	16	34.0%	56	24.8%
		R7	9	21.4%	12	33.3%	22	51.2%	58	25.0%
		前年比	-5	-13.6%	0	-8.1%	6	17.2%	2	0.2%
	45未満	R4	3	8.8%	5	13.9%	6	9.2%	16	7.1%
		R5	3	6.5%	3	9.4%	6	10.9%	16	7.1%
		R6	3	7.5%	2	6.9%	4	8.5%	12	5.3%
		R7	2	4.8%	2	5.6%	2	4.7%	9	3.9%
		前年比	-1	-2.7%	0	-1.3%	-2	-3.8%	-3	-1.4%
尿蛋白	±以上	R4	13	38.2%	10	27.8%	26	40.0%	71	31.7%
		R5	18	39.1%	9	28.1%	18	32.7%	74	32.9%
		R6	9	22.5%	12	41.4%	16	34.0%	65	28.8%
		R7	7	16.7%	16	44.4%	12	27.9%	67	28.9%
		前年比	-2	-5.8%	4	3.0%	-4	-6.1%	2	0.1%
尿潜血	±以上	R4	5	14.7%	7	19.4%	8	12.3%	30	13.4%
		R5	11	23.9%	5	15.6%	14	25.5%	43	19.1%
		R6	10	25.0%	4	13.8%	10	21.3%	38	16.8%
		R7	10	23.8%	12	33.3%	12	27.9%	51	22.0%
		前年比	0	-1.2%	8	19.5%	2	6.6%	13	5.2%
尿酸	2.0以下 701以上	R4	7	20.6%	5	13.9%	12	18.5%	34	15.2%
		R5	5	10.9%	7	21.9%	11	20.0%	37	16.4%
		R6	5	12.5%	4	13.8%	4	8.5%	30	13.3%
		R7	4	9.5%	7	19.4%	4	9.3%	32	13.8%
		前年比	-1	-3.0%	3	5.6%	0	0.8%	2	0.5%

(5-1) 令和7年度 後期高齢者等健康診査における年齢層別の検査有所見率率(女性)(生保)

		年度	40~44歳		45~49歳		50~54歳		55~59歳	
腹囲	女性90以上	R4	2	22.2%	7	53.8%	11	36.7%	21	51.2%
		R5	6	42.9%	3	23.1%	10	29.4%	21	52.5%
		R6	7	43.8%	4	44.4%	9	37.5%	19	50.0%
		R7	4	22.2%	7	43.8%	16	41.0%	17	51.5%
		前年比	-3	-21.6%	3	-0.7%	7	3.5%	-2	1.5%
BMI	25以上	R4	2	22.2%	6	46.2%	16	53.3%	19	46.3%
		R5	6	42.9%	5	38.5%	16	47.1%	19	47.5%
		R6	7	43.8%	5	55.6%	12	50.0%	19	50.0%
		R7	5	27.8%	9	56.3%	20	51.3%	17	51.5%
		前年比	-2	-16.0%	4	0.6%	8	1.3%	-2	1.5%
	20以下	R4	3	33.3%	0	0.0%	6	20.0%	10	24.4%
		R5	2	14.3%	2	15.4%	3	8.8%	12	30.0%
		R6	3	18.8%	0	0.0%	1	4.2%	10	26.3%
		R7	5	27.8%	3	18.8%	3	7.7%	5	15.2%
		前年比	2	9.0%	3	18.8%	2	3.5%	-5	-11.1%
	18.5未満	R4	2	22.2%	0	0.0%	1	3.3%	5	12.2%
		R5	1	7.1%	1	7.7%	2	5.9%	8	20.0%
		R6	2	12.5%	0	0.0%	0	0.0%	7	18.4%
		R7	0	0.0%	2	12.5%	2	5.1%	4	12.1%
		前年比	-2	-12.5%	2	12.5%	2	5.1%	-3	-6.3%
血圧(収縮期)	130以上	R4	0	0.0%	4	30.8%	9	30.0%	7	17.1%
		R5	2	14.3%	1	7.7%	10	29.4%	7	17.5%
		R6	2	12.5%	2	22.2%	5	20.8%	11	28.9%
		R7	3	16.7%	4	25.0%	13	33.3%	8	24.2%
		前年比	1	4.2%	2	2.8%	8	12.5%	-3	-4.7%
血圧(拡張期)	85以上	R4	0	0.0%	1	7.7%	5	16.7%	6	14.6%
		R5	2	14.3%	1	7.7%	4	11.8%	3	7.5%
		R6	2	12.5%	2	22.2%	2	8.3%	5	13.2%
		R7	5	27.8%	4	25.0%	4	10.3%	4	12.1%
		前年比	3	15.3%	2	2.8%	2	2.0%	-1	-1.1%
血糖(空腹時)	100以上	R4	2	22.2%	0	0.0%	2	6.7%	7	17.1%
		R5	1	7.1%	1	7.7%	6	17.6%	11	27.5%
		R6	5	31.3%	1	11.1%	4	16.7%	13	34.2%
		R7	2	11.1%	1	6.3%	10	25.6%	7	21.2%
		前年比	-3	-20.2%	0	-4.9%	6	8.9%	-6	-13.0%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
HbA1c	5.6以上	R4	0	0.0%	3	23.1%	11	36.7%	14	34.1%
		R5	3	21.4%	5	38.5%	14	41.2%	16	40.0%
		R6	7	43.8%	2	22.2%	8	33.3%	18	47.4%
		R7	4	22.2%	7	43.8%	19	48.7%	22	66.7%
		前年比	-3	-21.6%	5	21.6%	11	15.4%	4	19.3%
尿糖	±以上	R4	0	0.0%	0	0.0%	1	3.3%	8	19.5%
		R5	2	14.3%	2	15.4%	2	5.9%	5	12.5%
		R6	4	25.0%	1	11.1%	0	0.0%	2	5.3%
		R7	1	5.6%	1	6.3%	4	10.3%	3	9.1%
		前年比	-3	-19.4%	0	-4.9%	4	10.3%	1	3.8%
中性脂肪	150以上	R4	1	11.1%	3	23.1%	8	26.7%	16	39.0%
		R5	2	14.3%	3	23.1%	9	26.5%	15	37.5%
		R6	5	31.3%	1	11.1%	9	37.5%	13	34.2%
		R7	1	5.6%	4	25.0%	12	30.8%	8	24.2%
		前年比	-4	-25.7%	3	13.9%	3	-6.7%	-5	-10.0%
HDL-C	39以下	R4	0	0.0%	1	7.7%	3	10.0%	2	4.9%
		R5	1	7.1%	0	0.0%	2	5.9%	1	2.5%
		R6	0	0.0%	0	0.0%	2	8.3%	2	5.3%
		R7	1	5.6%	0	0.0%	4	10.3%	1	3.0%
		前年比	1	5.6%	0	0.0%	2	2.0%	-1	-2.3%
LDL-C	120以上	R4	2	22.2%	8	61.5%	19	63.3%	16	39.0%
		R5	5	35.7%	8	61.5%	15	44.1%	17	42.5%
		R6	8	50.0%	5	55.6%	13	54.2%	16	42.1%
		R7	7	38.9%	6	37.5%	17	43.6%	14	42.4%
		前年比	-1	-11.1%	1	-18.1%	4	-10.6%	-2	0.3%
AST (GOT)	31以上	R4	1	11.1%	0	0.0%	1	3.3%	13	31.7%
		R5	2	14.3%	4	30.8%	8	23.5%	10	25.0%
		R6	3	18.8%	1	11.1%	3	12.5%	8	21.1%
		R7	1	5.6%	1	6.3%	2	5.1%	2	6.1%
		前年比	-2	-13.2%	0	-4.9%	-1	-7.4%	-6	-15.0%
ALT (GPT)	31以上	R4	1	11.1%	1	7.7%	7	23.3%	11	26.8%
		R5	1	7.1%	4	30.8%	6	17.6%	8	20.0%
		R6	2	12.5%	2	22.2%	3	12.5%	9	23.7%
		R7	1	5.6%	3	18.8%	7	17.9%	5	15.2%
		前年比	-1	-6.9%	1	-3.5%	4	5.4%	-4	-8.5%

		年度	40～44歳		45～49歳		50～54歳		55～59歳	
			人数	割合	人数	割合	人数	割合	人数	割合
γ-GT	51以上	R4	0	0.0%	3	23.1%	5	16.7%	9	22.0%
		R5	1	7.1%	4	30.8%	8	23.5%	6	15.0%
		R6	1	6.3%	2	22.2%	6	25.0%	9	23.7%
		R7	1	5.6%	3	18.8%	9	23.1%	4	12.1%
		前年比	0	-0.7%	1	-3.5%	3	-1.9%	-5	-11.6%
総蛋白	6.5未満 8.0以上	R4	1	11.1%	0	0.0%	2	6.7%	3	7.3%
		R5	1	7.1%	2	15.4%	2	5.9%	3	7.5%
		R6	1	6.3%	1	11.1%	1	4.2%	3	7.9%
		R7	1	5.6%	1	6.3%	3	7.7%	3	9.1%
		前年比	0	-0.7%	0	-4.9%	2	3.5%	0	1.2%
血清クレアチニン	女性0.71以上	R4	2	22.2%	3	23.1%	11	36.7%	12	29.3%
		R5	4	28.6%	4	30.8%	13	38.2%	14	35.0%
		R6	2	12.5%	4	44.4%	9	37.5%	14	36.8%
		R7	2	11.1%	3	18.8%	16	41.0%	14	42.4%
		前年比	0	-1.4%	-1	-25.7%	7	3.5%	0	5.6%
eGFR	60未満	R4	1	11.1%	1	7.7%	4	13.3%	7	17.1%
		R5	0	0.0%	1	7.7%	7	20.6%	9	22.5%
		R6	1	6.3%	0	0.0%	5	20.8%	10	26.3%
		R7	0	0.0%	2	12.5%	11	28.2%	7	21.2%
		前年比	-1	-6.3%	2	12.5%	6	7.4%	-3	-5.1%
	45未満	R4	0	0.0%	0	0.0%	1	3.3%	2	4.9%
		R5	0	0.0%	0	0.0%	1	2.9%	2	5.0%
		R6	0	0.0%	0	0.0%	1	4.2%	1	2.6%
		R7	0	0.0%	1	6.3%	1	2.6%	3	9.1%
		前年比	0	0.0%	1	6.3%	0	-1.6%	2	6.5%
尿蛋白	±以上	R4	4	44.4%	1	7.7%	8	26.7%	5	12.2%
		R5	2	14.3%	5	38.5%	7	20.6%	9	22.5%
		R6	3	18.8%	0	0.0%	6	25.0%	13	34.2%
		R7	4	22.2%	4	25.0%	9	23.1%	5	15.2%
		前年比	1	3.4%	4	25.0%	3	-1.9%	-8	-19.0%
尿潜血	±以上	R4	3	33.3%	5	38.5%	13	43.3%	12	29.3%
		R5	5	35.7%	2	15.4%	11	32.4%	9	22.5%
		R6	6	37.5%	1	11.1%	5	20.8%	11	28.9%
		R7	5	27.8%	3	18.8%	13	33.3%	8	24.2%
		前年比	-1	-9.7%	2	7.7%	8	12.5%	-3	-4.7%
尿酸	2.0以下 7.0以上	R4	1	11.1%	0	0.0%	5	16.7%	4	9.8%
		R5	1	7.1%	1	7.7%	3	8.8%	4	10.0%
		R6	3	18.8%	1	11.1%	3	12.5%	2	5.3%
		R7	2	11.1%	1	6.3%	5	12.8%	3	9.1%
		前年比	-1	-7.7%	0	-4.9%	2	0.3%	1	3.8%

		年度	60～64歳		65～69歳		70～74歳		全体	
腹囲	女性90以上	R4	12	46.2%	13	41.9%	24	36.4%	90	41.7%
		R5	13	38.2%	15	45.5%	25	41.0%	93	40.6%
		R6	16	45.7%	19	47.5%	20	35.7%	94	43.1%
		R7	16	35.6%	14	51.9%	19	33.3%	93	39.6%
		前年比	0	-10.1%	-5	4.4%	-1	-2.4%	-1	-3.5%
BMI	25以上	R4	14	53.8%	13	41.9%	21	31.8%	91	42.1%
		R5	14	41.2%	12	36.4%	20	32.8%	92	40.2%
		R6	18	51.4%	19	47.5%	18	32.1%	98	45.0%
		R7	18	40.0%	14	51.9%	20	35.1%	103	43.8%
		前年比	0	-11.4%	-5	4.4%	2	3.0%	5	-1.2%
	20以下	R4	5	19.2%	5	16.1%	14	21.2%	43	19.9%
		R5	9	26.5%	4	12.1%	12	19.7%	44	19.2%
		R6	10	28.6%	7	17.5%	13	23.2%	44	20.2%
		R7	16	35.6%	4	14.8%	13	22.8%	49	20.9%
		前年比	6	7.0%	-3	-2.7%	0	-0.4%	5	0.7%
	18.5未満	R4	3	11.5%	2	6.5%	9	13.6%	22	10.2%
		R5	6	17.6%	2	6.1%	6	9.8%	26	11.4%
		R6	7	20.0%	7	17.5%	8	14.3%	31	14.2%
		R7	8	17.8%	3	11.1%	6	10.5%	25	10.6%
		前年比	1	-2.2%	-4	-6.4%	-2	-3.8%	-6	-3.6%
血圧（収縮期）	130以上	R4	14	53.8%	13	41.9%	33	50.0%	80	37.0%
		R5	8	23.5%	12	36.4%	28	45.9%	68	29.7%
		R6	13	37.1%	18	45.0%	28	50.0%	79	36.2%
		R7	19	42.2%	11	40.7%	27	47.4%	85	36.2%
		前年比	6	5.1%	-7	-4.3%	-1	-2.6%	6	0.0%
血圧（拡張期）	85以上	R4	4	15.4%	3	9.7%	7	10.6%	26	12.0%
		R5	5	14.7%	7	21.2%	9	14.8%	31	13.5%
		R6	6	17.1%	7	17.5%	10	17.9%	34	15.6%
		R7	13	28.9%	4	14.8%	12	21.1%	46	19.6%
		前年比	7	11.8%	-3	-2.7%	2	3.2%	12	4.0%
血糖（空腹時）	100以上	R4	6	23.1%	8	25.8%	17	25.8%	42	19.4%
		R5	7	20.6%	11	33.3%	18	29.5%	55	24.0%
		R6	10	28.6%	13	32.5%	17	30.4%	63	28.9%
		R7	10	22.2%	6	22.2%	18	31.6%	54	23.0%
		前年比	0	-6.4%	-7	-10.3%	1	1.2%	-9	-5.9%

		年度	60～64歳		65～69歳		70～74歳		全体	
HbA1c	5.6以上	R4	14	53.8%	17	54.8%	43	65.2%	102	47.2%
		R5	17	50.0%	24	72.7%	39	63.9%	118	51.5%
		R6	19	54.3%	24	60.0%	31	55.4%	109	50.0%
		R7	25	55.6%	15	55.6%	35	61.4%	127	54.0%
		前年比	6	1.3%	-9	-4.4%	4	6.0%	18	4.0%
尿糖	±以上	R4	3	11.5%	4	12.9%	3	4.5%	19	8.8%
		R5	2	5.9%	5	15.2%	3	4.9%	21	9.2%
		R6	5	14.3%	2	5.0%	5	8.9%	19	8.7%
		R7	6	13.3%	1	3.7%	7	12.3%	23	9.8%
		前年比	1	-1.0%	-1	-1.3%	2	3.4%	4	1.1%
中性脂肪	150以上	R4	10	38.5%	5	16.1%	23	34.8%	66	30.6%
		R5	9	26.5%	6	18.2%	13	21.3%	57	24.9%
		R6	6	17.1%	9	22.5%	14	25.0%	57	26.1%
		R7	7	15.6%	7	25.9%	14	24.6%	53	22.6%
		前年比	1	-1.5%	-2	3.4%	0	-0.4%	-4	-3.5%
HDL-C	39以下	R4	1	3.8%	1	3.2%	3	4.5%	11	5.1%
		R5	1	2.9%	1	3.0%	4	6.6%	10	4.4%
		R6	1	2.9%	1	2.5%	3	5.4%	9	4.1%
		R7	0	0.0%	2	7.4%	2	3.5%	10	4.3%
		前年比	-1	-2.9%	1	4.9%	-1	-1.9%	1	0.2%
LDL-C	120以上	R4	13	50.0%	13	41.9%	24	36.4%	95	44.0%
		R5	14	41.2%	17	51.5%	27	44.3%	103	45.0%
		R6	8	22.9%	16	40.0%	27	48.2%	93	42.7%
		R7	15	33.3%	11	40.7%	29	50.9%	99	42.1%
		前年比	7	10.4%	-5	0.7%	2	2.7%	6	-0.6%
AST (GOT)	31以上	R4	4	15.4%	2	6.5%	8	12.1%	29	13.4%
		R5	6	17.6%	6	18.2%	9	14.8%	45	19.7%
		R6	7	20.0%	5	12.5%	8	14.3%	35	16.1%
		R7	6	13.3%	3	11.1%	5	8.8%	20	8.5%
		前年比	-1	-6.7%	-2	-1.4%	-3	-5.5%	-15	-7.6%
ALT (GPT)	31以上	R4	4	15.4%	2	6.5%	7	10.6%	33	15.3%
		R5	4	11.8%	6	18.2%	7	11.5%	36	15.7%
		R6	6	17.1%	8	20.0%	2	3.6%	32	14.7%
		R7	2	4.4%	3	11.1%	4	7.0%	25	10.6%
		前年比	-4	-12.7%	-5	-8.9%	2	3.4%	-7	-4.1%

		年度	60～64歳		65～69歳		70～74歳		全体	
γ-GT	51以上	R4	5	19.2%	4	12.9%	9	13.6%	35	16.2%
		R5	4	11.8%	5	15.2%	9	14.8%	37	16.2%
		R6	5	14.3%	9	22.5%	7	12.5%	39	17.9%
		R7	8	17.8%	6	22.2%	6	10.5%	37	15.7%
		前年比	3	3.5%	-3	-0.3%	-1	-2.0%	-2	-2.2%
総蛋白	6.5未満 8.0以上	R4	1	3.8%	5	16.1%	7	10.6%	19	8.8%
		R5	5	14.7%	3	9.1%	6	9.8%	22	9.6%
		R6	2	5.7%	3	7.5%	6	10.7%	17	7.8%
		R7	7	15.6%	1	3.7%	3	5.3%	19	8.1%
		前年比	5	9.9%	-2	-3.8%	-3	-5.4%	2	0.3%
血清クレアチニン	女性0.71以上	R4	13	50.0%	10	32.3%	36	54.5%	87	40.3%
		R5	17	50.0%	12	36.4%	32	52.5%	96	41.9%
		R6	15	42.9%	16	40.0%	28	50.0%	88	40.4%
		R7	14	31.1%	17	63.0%	27	47.4%	93	39.6%
		前年比	-1	-11.8%	1	23.0%	-1	-2.6%	5	-0.8%
eGFR	60未満	R4	8	30.8%	9	29.0%	33	50.0%	63	29.2%
		R5	15	44.1%	11	33.3%	27	44.3%	70	30.6%
		R6	9	25.7%	14	35.0%	27	48.2%	66	30.3%
		R7	10	22.2%	12	44.4%	26	45.6%	68	28.9%
		前年比	1	-3.5%	-2	9.4%	-1	-2.6%	2	-1.4%
	45未満	R4	1	3.8%	2	6.5%	9	13.6%	15	6.9%
		R5	2	5.9%	2	6.1%	7	11.5%	14	6.1%
		R6	1	2.9%	4	10.0%	6	10.7%	13	6.0%
		R7	0	0.0%	4	14.8%	4	7.0%	13	5.5%
		前年比	-1	-2.9%	0	4.8%	-2	-3.7%	0	-0.5%
尿蛋白	±以上	R4	5	19.2%	5	16.1%	21	31.8%	49	22.7%
		R5	6	17.6%	8	24.2%	18	29.5%	55	24.0%
		R6	8	22.9%	10	25.0%	14	25.0%	54	24.8%
		R7	9	20.0%	8	29.6%	15	26.3%	54	23.0%
		前年比	1	-2.9%	-2	4.6%	1	1.3%	0	-1.8%
尿潜血	±以上	R4	12	46.2%	11	35.5%	22	33.3%	78	36.1%
		R5	13	38.2%	10	30.3%	21	34.4%	71	31.0%
		R6	13	37.1%	10	25.0%	27	48.2%	73	33.5%
		R7	16	35.6%	12	44.4%	16	28.1%	73	31.1%
		前年比	3	-1.5%	2	19.4%	-11	-20.1%	0	-2.4%
尿酸	2.0以下 701以上	R4	1	3.8%	1	3.2%	4	6.1%	16	7.4%
		R5	1	2.9%	2	6.1%	2	3.3%	14	6.1%
		R6	1	2.9%	2	5.0%	6	10.7%	18	8.3%
		R7	0	0.0%	2	7.4%	5	8.8%	18	7.7%
		前年比	-1	-2.9%	0	2.4%	-1	-1.9%	0	-0.6%