

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (全体)

1:片瀬地区 2:鵜沼地区 3:辻堂地区 4:村岡地区 5:藤沢地区 6:明治地区 7:善行地区  
 8:湘南大庭地区 9:六会地区 10:湘南台地区 11:遠藤地区 12:長後地区 13:御所見地区 14:市外

(単位:人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
腹囲	男性85以上	R4	650	1,318	801	572	1,011	532	1,081	901	666	583	479	1,019	352	5	9,970
	女性90以上	R5	644	1,333	789	594	1,002	494	1,010	952	645	598	488	948	337	157	9,991
		R6	639	1,328	855	621	1,048	531	1,032	1,048	687	637	486	993	388	245	10,538
		R7	653	1,449	916	648	1,109	601	1,095	1,134	734	707	553	1,091	421	1	11,112
		前年比	14	121	61	27	61	70	63	86	47	70	67	98	33	-244	574
BMI	25以上	R4	366	754	545	372	620	336	623	550	427	360	292	579	294	3	6,121
		R5	362	729	527	365	596	319	581	555	412	345	290	572	294	112	6,059
		R6	340	741	538	386	656	329	609	591	421	357	312	606	314	178	6,378
		R7	352	794	530	394	667	356	629	641	433	395	353	647	324	1	6,516
		前年比	12	53	-8	8	11	27	20	50	12	38	41	41	10	-177	138
BMI	20以下	R4	429	948	540	337	636	318	703	375	422	348	231	501	235	4	6,027
		R5	449	982	550	368	663	361	728	453	433	389	232	545	253	87	6,493
		R6	437	1,007	589	360	699	364	738	535	437	381	267	615	239	116	6,784
		R7	474	1,057	600	396	743	372	769	569	446	406	280	617	227	0	6,956
		前年比	37	50	11	36	44	8	31	34	9	25	13	2	-12	-116	172
BMI	18.5未満	R4	199	394	227	148	302	145	318	170	173	151	86	214	100	3	2,630
		R5	205	431	251	153	301	156	325	194	184	185	88	246	107	42	2,868
		R6	206	462	255	152	303	157	332	243	181	173	88	273	110	52	2,987
		R7	218	491	251	180	334	161	372	237	199	193	111	277	95	0	3,119
		前年比	12	29	-4	28	31	4	40	-6	18	20	23	4	-15	-52	132

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血圧(収縮期)	130以上	R4	991	2,229	1,366	977	1,557	890	1,787	1,342	1,134	865	698	1,436	742	8	16,022
		R5	1,007	2,218	1,349	1,001	1,537	918	1,675	1,407	1,128	883	759	1,375	690	211	16,158
		R6	996	2,257	1,464	999	1,642	975	1,807	1,591	1,146	921	820	1,532	713	329	17,192
		R7	1,048	2,400	1,449	1,110	1,793	1,022	1,789	1,739	1,164	936	905	1,605	741	1	17,702
		前年比	52	143	-15	111	151	47	-18	148	18	15	85	73	28	-328	510
血圧(拡張期)	85以上	R4	186	622	250	259	317	218	343	261	234	133	155	186	175	1	3,340
		R5	205	616	264	251	292	196	361	275	232	154	121	199	153	40	3,359
		R6	196	590	285	252	302	237	352	282	265	174	131	224	154	68	3,512
		R7	218	683	309	310	364	225	343	321	242	176	167	267	138	0	3,763
		前年比	22	93	24	58	62	-12	-9	39	-23	2	36	43	-16	-68	251
血糖(空腹時)	100以上	R4	324	701	614	358	733	412	914	566	578	417	293	359	278	6	6,553
		R5	454	851	600	413	776	455	933	661	581	395	352	358	287	104	7,220
		R6	523	1,042	702	493	945	480	1,090	871	535	473	465	480	354	165	8,618
		R7	505	1,044	673	483	936	482	1,003	830	484	444	479	482	379	0	8,224
		前年比	-18	2	-29	-10	-9	2	-87	-41	-51	-29	14	2	25	-165	-394
HbA1c	5.6以上	R4	973	1,893	1,273	862	1,448	663	1,578	970	977	723	503	1,248	486	8	13,605
		R5	1,089	2,293	1,421	1,020	1,746	895	1,812	1,488	1,167	1,038	760	1,522	836	225	17,312
		R6	1,161	2,530	1,621	1,131	1,892	978	2,012	1,757	1,261	1,184	945	1,760	810	380	19,422
		R7	1,210	2,680	1,657	1,205	2,085	1,174	2,104	1,930	1,337	1,213	979	1,886	875	1	20,336
		前年比	49	150	36	74	193	196	92	173	76	29	34	126	65	-379	914

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿糖	±以上	R4	132	251	169	114	182	100	200	144	139	100	64	182	58	1	1,836
		R5	154	293	187	101	210	119	255	167	162	123	69	185	80	39	2,144
		R6	164	332	209	145	272	128	333	223	164	131	85	246	102	72	2,606
		R7	183	400	245	174	325	178	391	267	182	160	114	320	118	0	3,057
		前年比	19	68	36	29	53	50	58	44	18	29	29	74	16	-72	451
中性脂肪	29以下 150以上	R4	408	772	442	342	568	259	536	418	408	297	242	531	235	5	5,463
		R5	419	791	418	345	549	272	509	424	400	290	230	509	243	81	5,480
		R6	360	781	408	355	572	284	508	439	361	280	259	493	240	143	5,483
		R7	344	784	401	372	557	287	526	510	398	296	256	546	210	0	5,487
		前年比	-16	3	-7	17	-15	3	18	71	37	16	-3	53	-30	-143	4
HDL-C	39以下	R4	67	183	94	88	149	74	132	109	92	73	52	116	69	0	1,298
		R5	58	160	99	91	118	56	110	105	100	48	52	120	64	31	1,212
		R6	68	156	116	78	132	59	124	113	106	65	55	131	65	35	1,303
		R7	44	136	85	68	124	64	134	128	91	57	67	133	63	0	1,194
		前年比	-24	-20	-31	-10	-8	5	10	15	-15	-8	12	2	-2	-35	-109
LDL-C	59以下 120以上	R4	758	1,642	1,073	635	1,126	573	1,271	813	810	648	429	931	423	7	11,139
		R5	837	1,719	1,058	693	1,182	606	1,280	979	787	674	513	960	469	147	11,904
		R6	833	1,835	1,136	740	1,266	696	1,331	1,051	828	692	559	979	509	250	12,705
		R7	850	1,865	1,129	769	1,373	739	1,351	1,139	786	714	585	988	491	0	12,779
		前年比	17	30	-7	29	107	43	20	88	-42	22	26	9	-18	-250	74

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
AST (GOT)	31以上	R4	186	433	269	200	336	211	434	267	272	193	162	315	167	0	3,445
		R5	185	411	262	188	339	197	354	258	235	177	154	313	163	46	3,282
		R6	168	408	260	194	343	190	353	272	236	181	137	280	143	76	3,241
		R7	198	486	274	221	386	204	400	282	236	188	153	288	139	0	3,455
		前年比	30	78	14	27	43	14	47	10	0	7	16	8	-4	-76	214
ALT (GPT)	31以上	R4	115	253	163	126	180	136	247	156	152	115	115	175	98	1	2,032
		R5	114	231	162	101	182	101	200	153	133	101	109	182	87	28	1,884
		R6	100	243	177	131	185	103	209	173	133	102	79	160	80	42	1,917
		R7	119	275	178	147	207	127	212	199	134	118	93	182	94	1	2,086
		前年比	19	32	1	16	22	24	3	26	1	16	14	22	14	-41	169
γ-GT	51以上	R4	156	306	198	152	234	148	308	199	178	150	131	226	96	0	2,482
		R5	149	312	207	152	232	139	304	205	186	146	133	207	102	44	2,518
		R6	152	323	229	161	251	134	275	227	180	136	106	218	90	56	2,538
		R7	160	364	210	186	287	158	304	231	168	148	122	248	93	1	2,680
		前年比	8	41	-19	25	36	24	29	4	-12	12	16	30	3	-55	142
総蛋白	6.5未満 8.0以上	R4	176	337	211	136	232	124	273	171	162	122	93	208	100	0	2,345
		R5	186	391	205	157	267	134	296	209	172	136	95	224	104	42	2,618
		R6	201	449	244	170	329	134	294	217	152	139	125	238	100	63	2,855
		R7	186	434	231	169	324	167	284	240	178	164	132	233	103	0	2,845
		前年比	-15	-15	-13	-1	-5	33	-10	23	26	25	7	-5	3	-63	-10

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血清 クレアチニン	男性 1.01以上	R4	842	1,743	1,097	741	1,217	617	1,497	907	826	680	498	1,152	485	4	12,306
		R5	833	1,801	1,050	753	1,232	620	1,443	994	833	695	525	1,115	485	203	12,582
	女性 0.71以上	R6	768	1,772	1,124	770	1,209	708	1,354	1,063	810	705	540	1,130	502	286	12,741
		R7	899	2,061	1,223	920	1,455	813	1,577	1,225	920	843	704	1,293	581	0	14,514
		前年比	131	289	99	150	246	105	223	162	110	138	164	163	79	-286	1,773
eGFR	60未満	R4	980	2,028	1,263	858	1,417	727	1,699	1,084	952	793	582	1,329	566	4	14,282
		R5	980	2,077	1,261	870	1,420	729	1,678	1,165	977	830	624	1,297	578	222	14,708
		R6	932	2,064	1,317	891	1,452	834	1,565	1,232	953	825	641	1,344	592	322	14,964
		R7	1,061	2,370	1,450	1,042	1,704	926	1,815	1,471	1,084	999	837	1,492	660	1	16,912
		前年比	129	306	133	151	252	92	250	239	131	174	196	148	68	-321	1,948
eGFR	45未満	R4	281	599	371	238	384	216	524	268	294	198	151	394	168	2	4,088
		R5	289	621	331	275	406	236	539	300	277	209	161	387	166	76	4,273
		R6	242	617	369	265	417	250	485	286	280	217	153	366	169	98	4,214
		R7	269	673	369	314	496	267	543	368	298	267	220	442	174	0	4,700
		前年比	27	56	0	49	79	17	58	82	18	50	67	76	5	-98	486
尿蛋白	±以上	R4	443	863	642	377	691	591	754	530	751	297	304	719	250	5	7,217
		R5	456	948	592	416	717	548	801	579	726	333	314	922	234	115	7,701
		R6	473	999	666	418	809	489	782	745	785	366	381	846	257	186	8,202
		R7	481	1,157	701	452	870	530	774	637	817	424	433	769	267	0	8,312
		前年比	8	158	35	34	61	41	-8	-108	32	58	52	-77	10	-186	110

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿潜血	±以上	R4	590	1,368	661	506	987	541	955	645	718	511	380	787	542	5	9,196
		R5	589	1,335	664	530	998	612	890	683	745	567	335	797	536	121	9,402
		R6	661	1,520	762	589	1,023	635	967	751	739	542	377	781	491	200	10,038
		R7	656	1,544	805	618	1,165	695	1,028	934	770	578	426	749	550	0	10,518
		前年比	-5	24	43	29	142	60	61	183	31	36	49	-32	59	-200	480
尿酸	2.0以下	R4	126	275	201	123	226	121	211	148	131	92	81	166	76	2	1,979
	7.1以上	R5	114	298	194	112	198	120	200	159	144	96	73	173	63	38	1,982
		R6	122	267	203	124	212	119	195	189	136	110	70	177	80	54	2,058
		R7	119	300	188	165	239	105	204	203	146	148	99	206	101	1	2,224
		前年比	-3	33	-15	41	27	-14	9	14	10	38	29	29	21	-53	166

腹囲の有所見率は、前年度、今年度においても湘南大庭地区で最も高かった。  
 血糖（空腹時）の有所見率は、前年度、今年度においても長後地区で最も低かった。  
 ALT（GPT）およびγ-GTの有所見率は、前年度、今年度においても村岡地区で最も高かった。  
 クレアチニンおよびeGFR（60未満）の有所見率は、全地区で前年度よりも今年度において高かった。  
 尿蛋白の有所見率は、前年度、今年度においても六会地区で最も高かった。  
 尿潜血の有所見率は、前年度、今年度においても御所見地区で顕著に高かった。  
 尿酸の有所見率は、前年度は辻堂地区で、今年度は村岡地区で顕著に高かった。

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (全体)

1:片瀬地区 2:鵜沼地区 3:辻堂地区 4:村岡地区 5:藤沢地区 6:明治地区 7:善行地区  
 8:湘南大庭地区 9:六会地区 10:湘南台地区 11:遠藤地区 12:長後地区 13:御所見地区 14:市外

(単位:%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
腹囲	男性85以上 女性90以上	R4	36.8	34.7	33.3	36.0	36.4	36.3	35.6	41.5	34.0	37.1	39.8	41.3	29.5	16.7	36.3
		R5	35.8	34.6	33.2	36.0	35.8	33.1	33.6	40.3	33.5	36.1	38.9	38.0	27.6	40.7	35.3
		R6	35.6	33.5	34.1	36.0	35.1	33.2	33.8	40.4	35.1	37.1	35.6	37.6	32.1	40.0	35.4
		R7	34.9	34.6	35.7	35.4	34.9	34.9	34.7	40.4	36.8	39.2	37.2	39.6	34.3	100.0	36.3
		前年比	-0.7	1.1	1.6	-0.6	-0.2	1.7	0.9	0.0	1.7	2.1	1.6	2.0	2.2	60.0	0.9
BMI	25以上	R4	20.7	19.9	22.7	23.4	22.3	22.9	20.5	25.3	21.8	22.9	24.2	23.5	24.6	10.0	22.3
		R5	20.1	18.9	22.2	22.1	21.3	21.4	19.3	23.5	21.4	20.8	23.1	22.9	24.1	29.0	21.4
		R6	18.9	18.7	21.5	22.4	22.0	20.6	19.9	22.8	21.5	20.8	22.8	22.9	26.0	29.0	21.5
		R7	18.8	18.9	20.7	21.5	21.0	20.6	19.9	22.8	21.7	21.9	23.7	23.5	26.4	100.0	21.3
		前年比	-0.1	0.2	-0.8	-0.9	-1.0	0.0	0.0	0.0	0.2	1.1	0.9	0.6	0.4	71.0	-0.2
BMI	20以下	R4	24.3	25.0	22.5	21.2	22.9	21.7	23.1	17.3	21.6	22.1	19.2	20.3	19.7	13.3	22.0
		R5	25.0	25.5	23.2	22.3	23.7	24.2	24.2	19.2	22.5	23.5	18.5	21.8	20.7	22.5	23.0
		R6	24.3	25.4	23.5	20.9	23.4	22.8	24.2	20.6	22.3	22.2	19.5	23.3	19.8	18.9	22.8
		R7	25.3	25.2	23.4	21.6	23.4	21.6	24.4	20.3	22.3	22.5	18.8	22.4	18.5	0.0	22.7
		前年比	1.0	-0.2	-0.1	0.7	0.0	-1.2	0.2	-0.3	0.0	0.3	-0.7	-0.9	-1.3	-18.9	-0.1
BMI	18.5未満	R4	11.3	10.4	9.5	9.3	10.9	9.9	10.5	7.8	8.8	9.6	7.1	8.7	8.4	10.0	9.6
		R5	11.4	11.2	10.6	9.3	10.7	10.4	10.8	8.2	9.5	11.2	7.0	9.9	8.8	10.9	10.1
		R6	11.5	11.6	10.2	8.8	10.2	9.8	10.9	9.4	9.2	10.1	6.4	10.3	9.1	8.5	10.0
		R7	11.6	11.7	9.8	9.8	10.5	9.3	11.8	8.4	10.0	10.7	7.5	10.1	7.7	0.0	10.2
		前年比	0.1	0.1	-0.4	1.0	0.3	-0.5	0.9	-1.0	0.8	0.6	1.1	-0.2	-1.4	-8.5	0.2

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血压(収縮期)	130以上	R4	56.1	58.7	56.9	61.6	56.0	60.7	58.8	61.8	57.9	55.0	57.9	58.2	62.2	26.7	58.4
		R5	56.0	57.5	56.8	60.6	54.9	61.5	55.7	59.5	58.5	53.3	60.6	55.1	56.6	54.7	57.1
		R6	55.5	56.9	58.4	57.9	55.0	61.0	59.2	61.3	58.6	53.6	60.0	57.9	59.1	53.7	57.8
		R7	56.0	57.3	56.5	60.6	56.5	59.3	56.6	61.9	58.3	51.9	60.9	58.3	60.4	100.0	57.9
		前年比	0.5	0.4	-1.9	2.7	1.5	-1.7	-2.6	0.6	-0.3	-1.7	0.9	0.4	1.3	46.3	0.1
血压(拡張期)	85以上	R4	10.5	16.4	10.4	16.3	11.4	14.9	11.3	12.0	12.0	8.5	12.9	7.5	14.7	3.3	12.2
		R5	11.4	16.0	11.1	15.2	10.4	13.1	12.0	11.6	12.0	9.3	9.7	8.0	12.5	10.4	11.9
		R6	10.9	14.9	11.4	14.6	10.1	14.8	11.5	10.9	13.5	10.1	9.6	8.5	12.8	11.1	11.8
		R7	11.6	16.3	12.0	16.9	11.5	13.1	10.9	11.4	12.1	9.8	11.2	9.7	11.3	0.0	12.3
		前年比	0.7	1.4	0.6	2.3	1.4	-1.7	-0.6	0.5	-1.4	-0.3	1.6	1.2	-1.5	-11.1	0.5
血糖(空腹時)	100以上	R4	18.3	18.5	25.6	22.6	26.4	28.1	30.1	26.1	29.5	26.5	24.3	14.5	23.3	20.0	23.9
		R5	25.3	22.1	25.3	25.0	27.7	30.5	31.0	28.0	30.1	23.8	28.1	14.3	23.5	26.9	25.5
		R6	29.1	26.3	28.0	28.6	31.7	30.0	35.7	33.5	27.3	27.5	34.0	18.2	29.3	26.9	29.0
		R7	27.0	24.9	26.2	26.4	29.5	28.0	31.8	29.5	24.2	24.6	32.2	17.5	30.9	0.0	26.9
		前年比	-2.1	-1.4	-1.8	-2.2	-2.2	-2.0	-3.9	-4.0	-3.1	-2.9	-1.8	-0.7	1.6	-26.9	-2.1
HbA1c	5.6以上	R4	55.1	49.9	53.0	54.3	52.1	45.2	51.9	44.7	49.9	46.0	41.7	50.6	40.7	26.7	49.6
		R5	60.6	59.5	59.9	61.8	62.3	59.9	60.2	63.0	60.5	62.6	60.7	61.0	68.5	58.3	61.2
		R6	64.7	63.7	64.7	65.6	63.4	61.2	65.9	67.7	64.4	68.9	69.2	66.6	67.1	62.0	65.3
		R7	64.6	63.9	64.6	65.8	65.6	68.1	66.6	68.7	67.0	67.2	65.8	68.5	71.4	100.0	66.5
		前年比	-0.1	0.2	-0.1	0.2	2.2	6.9	0.7	1.0	2.6	-1.7	-3.4	1.9	4.3	38.0	1.2

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿糖	±以上	R4	7.5	6.6	7.0	7.2	6.5	6.8	6.6	6.6	7.1	6.4	5.3	7.4	4.9	3.3	6.7
		R5	8.6	7.6	7.9	6.1	7.5	8.0	8.5	7.1	8.4	7.4	5.5	7.4	6.6	10.1	7.6
		R6	9.1	8.4	8.3	8.4	9.1	8.0	10.9	8.6	8.4	7.6	6.2	9.3	8.5	11.7	8.8
		R7	9.8	9.5	9.6	9.5	10.2	10.3	12.4	9.5	9.1	8.9	7.7	11.6	9.6	0.0	10.0
		前年比	0.7	1.1	1.3	1.1	1.1	2.3	1.5	0.9	0.7	1.3	1.5	2.3	1.1	-11.7	1.2
中性脂肪	29以下 150以上	R4	23.1	20.3	18.4	21.6	20.4	17.7	17.6	19.3	20.8	18.9	20.1	21.5	19.7	16.7	19.9
		R5	23.3	20.5	17.6	20.9	19.6	18.2	16.9	17.9	20.7	17.5	18.4	20.4	19.9	21.0	19.4
		R6	20.1	19.7	16.3	20.6	19.2	17.8	16.6	16.9	18.4	16.3	19.0	18.7	19.9	23.4	18.4
		R7	18.4	18.7	15.6	20.3	17.5	16.6	16.7	18.2	19.9	16.4	17.2	19.8	17.1	0.0	17.9
		前年比	-1.7	-1.0	-0.7	-0.3	-1.7	-1.2	0.1	1.3	1.5	0.1	-1.8	1.1	-2.8	-23.4	-0.5
HDL-C	39以下	R4	3.8	4.8	3.9	5.5	5.4	5.0	4.3	5.0	4.7	4.6	4.3	4.7	5.8	0.0	4.7
		R5	3.2	4.1	4.2	5.5	4.2	3.8	3.7	4.4	5.2	2.9	4.2	4.8	5.2	8.0	4.3
		R6	3.8	3.9	4.6	4.5	4.4	3.7	4.1	4.4	5.4	3.8	4.0	5.0	5.4	5.7	4.4
		R7	2.4	3.2	3.3	3.7	3.9	3.7	4.2	4.6	4.6	3.2	4.5	4.8	5.1	0.0	3.9
		前年比	-1.4	-0.7	-1.3	-0.8	-0.5	0.0	0.1	0.2	-0.8	-0.6	0.5	-0.2	-0.3	-5.7	-0.5
LDL-C	59以下 120以上	R4	42.9	43.2	44.7	40.0	40.5	39.1	41.8	37.5	41.4	41.2	35.6	37.7	35.5	23.3	40.6
		R5	46.6	44.6	44.6	42.0	42.2	40.6	42.5	41.4	40.8	40.7	40.9	38.5	38.4	38.1	42.1
		R6	46.4	46.2	45.3	42.9	42.4	43.6	43.6	40.5	42.3	40.3	40.9	37.0	42.2	40.8	42.7
		R7	45.4	44.5	44.0	42.0	43.2	42.9	42.8	40.5	39.4	39.6	39.3	35.9	40.0	0.0	41.8
		前年比	-1.0	-1.7	-1.3	-0.9	0.8	-0.7	-0.8	0.0	-2.9	-0.7	-1.6	-1.1	-2.2	-40.8	-0.9

1：片瀬地区 2：鶴沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
AST (GOT)	31以上	R4	10.5	11.4	11.2	12.6	12.1	14.4	14.3	12.3	13.9	12.3	13.4	12.8	14.0	0.0	12.6
		R5	10.3	10.7	11.0	11.4	12.1	13.2	11.8	10.9	12.2	10.7	12.3	12.5	13.4	11.9	11.6
		R6	9.4	10.3	10.4	11.3	11.5	11.9	11.6	10.5	12.1	10.5	10.0	10.6	11.8	12.4	10.9
		R7	10.6	11.6	10.7	12.1	12.2	11.8	12.7	10.0	11.8	10.4	10.3	10.5	11.3	0.0	11.3
		前年比	1.2	1.3	0.3	0.8	0.7	-0.1	1.1	-0.5	-0.3	-0.1	0.3	-0.1	-0.5	-12.4	0.4
ALT (GPT)	31以上	R4	6.5	6.7	6.8	7.9	6.5	9.3	8.1	7.2	7.8	7.3	9.5	7.1	8.2	3.3	7.4
		R5	6.3	6.0	6.8	6.1	6.5	6.8	6.6	6.5	6.9	6.1	8.7	7.3	7.1	7.3	6.7
		R6	5.6	6.1	7.1	7.6	6.2	6.4	6.8	6.7	6.8	5.9	5.8	6.1	6.6	6.9	6.4
		R7	6.4	6.6	6.9	8.0	6.5	7.4	6.7	7.1	6.7	6.5	6.3	6.6	7.7	100.0	6.8
		前年比	0.8	0.5	-0.2	0.4	0.3	1.0	-0.1	0.4	-0.1	0.6	0.5	0.5	1.1	93.1	0.4
γ-GT	51以上	R4	8.8	8.1	8.2	9.6	8.4	10.1	10.1	9.2	9.1	9.5	10.9	9.2	8.0	0.0	9.0
		R5	8.3	8.1	8.7	9.2	8.3	9.3	10.1	8.7	9.6	8.8	10.6	8.3	8.4	11.4	8.9
		R6	8.5	8.1	9.1	9.3	8.4	8.4	9.0	8.7	9.2	7.9	7.8	8.2	7.5	9.1	8.5
		R7	8.5	8.7	8.2	10.2	9.0	9.2	9.6	8.2	8.4	8.2	8.2	9.0	7.6	100.0	8.8
		前年比	0.0	0.6	-0.9	0.9	0.6	0.8	0.6	-0.5	-0.8	0.3	0.4	0.8	0.1	90.9	0.3
総蛋白	6.5未満 8.0以上	R4	10.0	8.9	8.8	8.6	8.3	8.5	9.0	7.9	8.3	7.8	7.7	8.4	8.4	0.0	8.5
		R5	10.3	10.1	8.6	9.5	9.5	9.0	9.8	8.8	8.9	8.2	7.6	9.0	8.5	10.9	9.3
		R6	11.2	11.3	9.7	9.9	11.0	8.4	9.6	8.4	7.8	8.1	9.2	9.0	8.3	10.3	9.6
		R7	9.9	10.4	9.0	9.2	10.2	9.7	9.0	8.5	8.9	9.1	8.9	8.5	8.4	0.0	9.3
		前年比	-1.3	-0.9	-0.7	-0.7	-0.8	1.3	-0.6	0.1	1.1	1.0	-0.3	-0.5	0.1	-10.3	-0.3

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血清 クレアチニン	男性 1.01以上	R4	47.7	45.9	45.7	46.7	43.8	42.1	49.2	41.8	42.2	43.3	41.3	46.7	40.7	13.3	44.9
		R5	46.3	46.7	44.2	45.6	44.0	41.5	48.0	42.1	43.2	41.9	41.9	44.7	39.8	52.6	44.5
	女性 0.71以上	R6	42.8	44.6	44.9	44.7	40.5	44.3	44.3	40.9	41.4	41.0	39.5	42.7	41.6	46.7	42.9
		R7	48.0	49.2	47.7	50.2	45.8	47.2	49.9	43.6	46.1	46.7	47.3	46.9	47.4	0.0	47.4
		前年比	5.2	4.6	2.8	5.5	5.3	2.9	5.6	2.7	4.7	5.7	7.8	4.2	5.8	-46.7	4.5
eGFR	60未満	R4	55.5	53.4	52.6	54.1	51.0	49.6	55.9	50.0	48.6	50.4	48.3	53.8	47.4	13.3	52.1
		R5	54.5	53.9	53.1	52.7	50.7	48.8	55.8	49.3	50.7	50.1	49.8	52.0	47.4	57.5	52.0
		R6	51.9	52.0	52.6	51.7	48.7	52.2	51.2	47.4	48.7	48.0	46.9	50.8	49.0	52.5	50.3
		R7	56.7	56.5	56.5	56.9	53.7	53.7	57.5	52.4	54.3	55.4	56.3	54.2	53.8	100.0	55.3
		前年比	4.8	4.5	3.9	5.2	5.0	1.5	6.3	5.0	5.6	7.4	9.4	3.4	4.8	47.5	5.0
eGFR	45未満	R4	15.9	15.8	15.4	15.0	13.8	14.7	17.2	12.4	15.0	12.6	12.5	16.0	14.1	6.7	14.9
		R5	16.1	16.1	13.9	16.7	14.5	15.8	17.9	12.7	14.4	12.6	12.8	15.5	13.6	19.7	15.1
		R6	13.5	15.5	14.7	15.4	14.0	15.6	15.9	11.0	14.3	12.6	11.2	13.8	14.0	16.0	14.2
		R7	14.4	16.1	14.4	17.1	15.6	15.5	17.2	13.1	14.9	14.8	14.8	16.0	14.2	0.0	15.4
		前年比	0.9	0.6	-0.3	1.7	1.6	-0.1	1.3	2.1	0.6	2.2	3.6	2.2	0.2	-16.0	1.2
尿蛋白	±以上	R4	25.1	22.7	26.7	23.8	24.8	40.3	24.8	24.4	38.4	18.9	25.2	29.1	21.0	16.7	26.3
		R5	25.4	24.6	24.9	25.2	25.6	36.7	26.6	24.5	37.7	20.1	25.1	36.9	19.2	29.8	27.2
		R6	26.4	25.2	26.6	24.2	27.1	30.6	25.6	28.7	40.1	21.3	27.9	32.0	21.3	30.3	27.6
		R7	25.7	27.6	27.3	24.7	27.4	30.7	24.5	22.7	40.9	23.5	29.1	27.9	21.8	0.0	27.2
		前年比	-0.7	2.4	0.7	0.5	0.3	0.1	-1.1	-6.0	0.8	2.2	1.2	-4.1	0.5	-30.3	-0.4

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿潜血	±以上	R4	33.4	36.0	27.5	31.9	35.5	36.9	31.4	29.7	36.7	32.5	31.5	31.9	45.4	16.7	33.5
		R5	32.8	34.6	28.0	32.1	35.6	41.0	29.6	28.9	38.6	34.2	26.7	31.9	43.9	31.3	33.2
		R6	36.8	38.3	30.4	34.2	34.3	39.7	31.7	28.9	37.8	31.5	27.6	29.5	40.7	32.6	33.8
		R7	35.0	36.8	31.4	33.7	36.7	40.3	32.6	33.3	38.6	32.0	28.6	27.2	44.9	0.0	34.4
		前年比	-1.8	-1.5	1.0	-0.5	2.4	0.6	0.9	4.4	0.8	0.5	1.0	-2.3	4.2	-32.6	0.6
尿酸	2.0以下	R4	7.1	7.2	8.4	7.8	8.1	8.2	6.9	6.8	6.7	5.9	6.7	6.7	6.4	6.7	7.2
	7.1以上	R5	6.3	7.7	8.2	6.8	7.1	8.0	6.6	6.7	7.5	5.8	5.8	6.9	5.2	9.8	7.0
		R6	6.8	6.7	8.1	7.2	7.1	7.4	6.4	7.3	6.9	6.4	5.1	6.7	6.6	8.8	6.9
		R7	6.4	7.2	7.3	9.0	7.5	6.1	6.5	7.2	7.3	8.2	6.7	7.5	8.2	100.0	7.3
		前年比	-0.4	0.5	-0.8	1.8	0.4	-1.3	0.1	-0.1	0.4	1.8	1.6	0.8	1.6	91.2	0.4

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1:片瀬地区 2:鵜沼地区 3:辻堂地区 4:村岡地区 5:藤沢地区 6:明治地区 7:善行地区  
 8:湘南大庭地区 9:六会地区 10:湘南台地区 11:遠藤地区 12:長後地区 13:御所見地区 14:市外

(単位:人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
腹囲	男性85以上 女性90以上	R4	4	15	19	20	32	13	33	21	26	13	9	44	7	2	258
		R5	7	10	24	16	29	13	34	20	23	13	11	35	6	5	246
		R6	6	17	19	15	30	14	39	22	26	9	12	43	7	0	259
		R7	3	18	17	12	34	19	36	19	24	13	7	36	6	0	244
		前年比	-3	1	-2	-3	4	5	-3	-3	-2	4	-5	-7	-1	0	-15
BMI	25以上	R4	3	13	14	14	24	16	27	18	20	14	7	35	4	2	211
		R5	6	9	16	10	21	13	27	19	15	11	11	32	4	5	199
		R6	3	13	14	11	25	14	33	20	23	11	12	30	6	0	215
		R7	3	10	14	11	31	20	34	14	18	13	8	26	6	0	208
		前年比	0	-3	0	0	6	6	1	-6	-5	2	-4	-4	0	0	-7
BMI	20以下	R4	1	11	2	4	2	6	10	5	5	2	3	11	0	0	62
		R5	3	8	1	4	6	4	9	6	4	5	2	14	1	1	68
		R6	3	9	4	3	4	7	11	6	3	2	3	11	1	0	67
		R7	2	9	6	3	7	5	11	5	5	2	3	17	2	0	77
		前年比	-1	0	2	0	3	-2	0	-1	2	0	0	6	1	0	10
BMI	18.5未満	R4	0	5	2	2	0	2	7	3	3	1	2	3	0	0	30
		R5	3	3	0	1	3	1	5	5	1	4	1	6	1	1	35
		R6	2	5	4	1	1	5	7	6	0	1	1	7	1	0	41
		R7	2	3	3	1	1	2	7	3	1	1	2	7	1	0	34
		前年比	0	-2	-1	0	0	-3	0	-3	1	0	1	0	0	0	-7

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血圧（収縮期）	130以上	R4	3	9	17	9	15	11	30	17	16	8	5	24	5	0	169
		R5	2	8	11	8	24	9	30	11	15	8	7	20	5	5	163
		R6	2	12	14	7	24	12	32	11	15	5	11	22	3	0	170
		R7	3	17	14	11	26	9	29	16	18	8	8	21	5	0	185
		前年比	1	5	0	4	2	-3	-3	5	3	3	-3	-1	2	0	15
血圧（拡張期）	85以上	R4	0	6	8	5	7	7	12	9	4	6	2	8	1	0	75
		R5	2	4	4	2	10	4	17	8	8	3	5	7	1	4	79
		R6	0	11	9	4	8	4	16	7	11	1	4	6	0	0	81
		R7	3	14	9	8	18	3	14	10	9	5	2	10	2	0	107
		前年比	3	3	0	4	10	-1	-2	3	-2	4	-2	4	2	0	26
血糖（空腹時）	100以上	R4	1	4	7	12	18	6	14	13	11	8	2	14	3	0	113
		R5	4	5	8	8	17	7	23	13	5	6	2	19	2	4	123
		R6	2	11	14	5	20	10	21	13	12	5	5	11	4	0	133
		R7	2	8	8	6	19	8	19	8	9	6	3	11	4	0	111
		前年比	0	-3	-6	1	-1	-2	-2	-5	-3	1	-2	0	0	0	-22
HbA1c	5.6以上	R4	3	16	12	21	30	12	33	8	22	10	3	34	6	0	210
		R5	5	10	18	20	30	15	35	19	17	17	8	38	7	4	243
		R6	5	11	17	12	27	15	40	20	23	8	10	31	8	0	227
		R7	4	24	16	14	39	16	35	19	30	9	7	33	7	0	253
		前年比	-1	13	-1	2	12	1	-5	-1	7	1	-3	2	-1	0	26

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿糖	±以上	R4	1	4	1	5	7	4	9	5	6	3	2	12	1	0	60
		R5	1	4	3	5	4	2	11	5	4	5	1	14	1	1	61
		R6	2	2	2	3	7	2	8	4	3	2	3	12	1	0	51
		R7	0	3	4	5	7	3	14	6	3	3	0	10	1	0	59
		前年比	-2	1	2	2	0	1	6	2	0	1	-3	-2	0	0	8
中性脂肪	29以下 150以上	R4	1	13	14	10	24	9	21	12	15	11	6	24	3	0	163
		R5	4	8	15	11	22	6	18	13	11	12	5	20	3	6	154
		R6	1	13	11	8	16	6	24	10	7	7	8	18	2	0	131
		R7	1	10	8	11	18	5	18	9	8	6	2	15	2	0	113
		前年比	0	-3	-3	3	2	-1	-6	-1	1	-1	-6	-3	0	0	-18
HDL-C	39以下	R4	0	4	6	3	13	2	9	5	4	3	2	6	3	0	60
		R5	1	1	6	1	6	2	9	2	6	6	1	4	1	0	46
		R6	0	1	5	1	4	0	6	7	3	2	1	6	2	0	38
		R7	0	3	0	0	4	2	12	7	1	2	0	9	1	0	41
		前年比	0	2	-5	-1	0	2	6	0	-2	0	-1	3	-1	0	3
LDL-C	59以下 120以上	R4	1	17	16	10	25	13	25	14	17	5	5	27	1	1	177
		R5	5	13	18	12	20	7	24	17	15	11	9	22	0	7	180
		R6	4	19	20	9	20	13	26	12	13	7	8	21	0	0	172
		R7	3	18	17	10	23	14	27	18	17	6	6	19	3	0	181
		前年比	-1	-1	-3	1	3	1	1	6	4	-1	-2	-2	3	0	9

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1:片瀬地区 2:鵜沼地区 3:辻堂地区 4:村岡地区 5:藤沢地区 6:明治地区 7:善行地区  
 8:湘南大庭地区 9:六会地区 10:湘南台地区 11:遠藤地区 12:長後地区 13:御所見地区 14:市外

(単位:人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
AST (GOT)	31以上	R4	2	6	9	4	7	3	13	6	6	3	3	11	2	0	75
		R5	3	6	10	3	13	6	17	11	6	5	6	8	2	4	100
		R6	1	5	7	1	10	5	13	6	6	3	6	4	5	0	72
		R7	2	5	4	3	11	4	9	4	5	4	2	5	4	0	62
		前年比	1	0	-3	2	1	-1	-4	-2	-1	1	-4	1	-1	0	-10
ALT (GPT)	31以上	R4	0	5	8	3	10	7	14	9	6	6	8	9	3	1	89
		R5	0	3	9	4	14	7	14	11	5	4	6	9	2	3	91
		R6	1	5	6	3	14	5	14	9	8	4	9	5	6	0	89
		R7	2	8	4	4	15	9	13	5	8	4	3	7	4	0	86
		前年比	1	3	-2	1	1	4	-1	-4	0	0	-6	2	-2	0	-3
γ-GT	51以上	R4	1	9	7	8	14	2	12	12	4	6	5	15	2	1	98
		R5	2	7	8	7	16	4	13	7	6	6	5	11	1	2	95
		R6	2	10	7	3	14	4	14	8	4	5	5	10	4	0	90
		R7	3	8	9	4	14	5	14	5	8	4	2	12	0	0	88
		前年比	1	-2	2	1	0	1	0	-3	4	-1	-3	2	-4	0	-2
総蛋白	6.5未満 8.0以上	R4	0	3	4	3	5	2	5	5	3	1	0	5	0	0	36
		R5	0	2	2	1	5	3	6	7	5	5	0	10	0	1	47
		R6	0	4	3	0	6	0	4	2	4	3	2	6	3	0	37
		R7	1	5	3	1	10	2	7	1	5	2	0	6	3	0	46
		前年比	1	1	0	1	4	2	3	-1	1	-1	-2	0	0	0	9

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血清 クレアチニン	男性 1.01以上	R4	3	13	10	11	15	6	25	15	13	5	6	28	5	0	155
		R5	4	8	7	9	11	10	24	10	12	9	8	29	5	6	152
	女性 0.71以上	R6	3	10	6	7	16	13	22	11	14	6	4	24	5	0	141
		R7	3	12	9	9	15	16	18	12	14	7	7	19	5	0	146
		前年比	0	2	3	2	-1	3	-4	1	0	1	3	-5	0	0	5
eGFR	60未満	R4	3	13	10	11	16	4	22	12	11	6	2	25	4	1	140
		R5	2	9	7	9	9	7	18	8	11	9	8	27	5	6	135
		R6	2	7	6	5	13	14	18	13	13	4	4	19	4	0	122
		R7	4	10	6	9	17	10	16	10	9	7	5	19	4	0	126
		前年比	2	3	0	4	4	-4	-2	-3	-4	3	1	0	0	0	4
eGFR	45未満	R4	0	2	3	0	5	2	4	2	2	1	0	10	0	0	31
		R5	0	2	2	2	2	2	3	1	3	2	0	11	0	0	30
		R6	0	3	1	1	2	3	3	2	4	2	0	4	0	0	25
		R7	0	3	0	2	1	3	2	4	1	1	0	5	0	0	22
		前年比	0	0	-1	1	-1	0	-1	2	-3	-1	0	1	0	0	-3
尿蛋白	±以上	R4	2	6	11	7	13	8	19	6	11	4	7	22	4	0	120
		R5	2	6	11	8	10	9	22	9	13	9	7	15	2	6	129
		R6	2	8	7	4	14	9	18	11	11	4	9	19	3	0	119
		R7	0	9	11	6	21	10	16	9	11	6	5	16	1	0	121
		前年比	-2	1	4	2	7	1	-2	-2	0	2	-4	-3	-2	0	2

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見者数比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：人)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿潜血	±以上	R4	2	17	8	6	11	7	15	11	8	4	5	11	2	1	108
		R5	3	8	7	6	8	7	21	8	12	9	6	12	2	5	114
		R6	2	10	7	5	8	13	16	12	14	4	5	14	1	0	111
		R7	2	10	9	5	15	9	14	10	14	6	8	17	5	0	124
		前年比	0	0	2	0	7	-4	-2	-2	0	2	3	3	4	0	13
尿酸	2.0以下 7.1以上	R4	0	5	4	1	6	5	8	4	7	1	0	8	1	0	50
		R5	1	3	4	3	8	3	6	4	6	5	0	6	1	1	51
		R6	1	5	4	1	6	4	7	1	3	3	2	9	2	0	48
		R7	0	6	4	4	6	5	4	4	5	5	0	7	0	0	50
		前年比	-1	1	0	3	0	1	-3	3	2	2	-2	-2	-2	0	2

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
腹囲	男性85以上 女性90以上	R4	80.0	39.5	61.3	66.7	60.4	43.3	54.1	61.8	63.4	65.0	56.3	66.7	53.8	100.0	58.6
		R5	63.6	32.3	75.0	59.3	59.2	48.1	52.3	57.1	57.5	48.1	61.1	53.8	50.0	33.3	54.2
		R6	54.5	50.0	54.3	75.0	56.6	45.2	54.9	61.1	72.2	52.9	57.1	66.2	50.0	0.0	58.3
		R7	50.0	47.4	50.0	54.5	47.9	55.9	52.9	51.4	61.5	61.9	41.2	55.4	40.0	0.0	52.2
		前年比	-4.5	-2.6	-4.3	-20.5	-8.7	10.7	-2.0	-9.7	-10.7	9.0	-15.9	-10.8	-10.0	0.0	-6.1
BMI	25以上	R4	60.0	34.2	45.2	46.7	45.3	53.3	44.3	52.9	48.8	70.0	43.8	53.0	30.8	100.0	48.0
		R5	54.5	29.0	50.0	37.0	42.9	48.1	41.5	54.3	37.5	40.7	61.1	49.2	33.3	33.3	43.8
		R6	27.3	38.2	40.0	55.0	47.2	45.2	46.5	55.6	63.9	64.7	57.1	46.2	42.9	0.0	48.4
		R7	50.0	26.3	41.2	50.0	43.7	58.8	50.0	37.8	46.2	61.9	47.1	40.0	40.0	0.0	44.5
		前年比	22.7	-11.9	1.2	-5.0	-3.5	13.6	3.5	-17.8	-17.7	-2.8	-10.0	-6.2	-2.9	0.0	-3.9
BMI	20以下	R4	20.0	28.9	6.5	13.3	3.8	20.0	16.4	14.7	12.2	10.0	18.8	16.7	0.0	0.0	14.1
		R5	27.3	25.8	3.1	14.8	12.2	14.8	13.8	17.1	10.0	18.5	11.1	21.5	8.3	6.7	15.0
		R6	27.3	26.5	11.4	15.0	7.5	22.6	15.5	16.7	8.3	11.8	14.3	16.9	7.1	0.0	15.1
		R7	33.3	23.7	17.6	13.6	9.9	14.7	16.2	13.5	12.8	9.5	17.6	26.2	13.3	0.0	16.5
		前年比	6.0	-2.8	6.2	-1.4	2.4	-7.9	0.7	-3.2	4.5	-2.3	3.3	9.3	6.2	0.0	1.4
BMI	18.5未満	R4	0.0	13.2	6.5	6.7	0.0	6.7	11.5	8.8	7.3	5.0	12.5	4.5	0.0	0.0	6.8
		R5	27.3	9.7	0.0	3.7	6.1	3.7	7.7	14.3	2.5	14.8	5.6	9.2	8.3	6.7	7.7
		R6	18.2	14.7	11.4	5.0	1.9	16.1	9.9	16.7	0.0	5.9	4.8	10.8	7.1	0.0	9.2
		R7	33.3	7.9	8.8	4.5	1.4	5.9	10.3	8.1	2.6	4.8	11.8	10.8	6.7	0.0	7.3
		前年比	15.1	-6.8	-2.6	-0.5	-0.5	-10.2	0.4	-8.6	2.6	-1.1	7.0	0.0	-0.4	0.0	-1.9

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血圧 (収縮期)	130以上	R4	60.0	23.7	54.8	30.0	28.3	36.7	49.2	50.0	39.0	40.0	31.3	36.4	38.5	0.0	38.4
		R5	18.2	25.8	34.4	29.6	49.0	33.3	46.2	31.4	37.5	29.6	38.9	30.8	41.7	33.3	35.9
		R6	18.2	35.3	40.0	35.0	45.3	38.7	45.1	30.6	41.7	29.4	52.4	33.8	21.4	0.0	38.3
		R7	50.0	44.7	41.2	50.0	36.6	26.5	42.6	43.2	46.2	38.1	47.1	32.3	33.3	0.0	39.6
		前年比	31.8	9.4	1.2	15.0	-8.7	-12.2	-2.5	12.6	4.5	8.7	-5.3	-1.5	11.9	0.0	1.3
血圧 (拡張期)	85以上	R4	0.0	15.8	25.8	16.7	13.2	23.3	19.7	26.5	9.8	30.0	12.5	12.1	7.7	0.0	17.0
		R5	18.2	12.9	12.5	7.4	20.4	14.8	26.2	22.9	20.0	11.1	27.8	10.8	8.3	26.7	17.4
		R6	0.0	32.4	25.7	20.0	15.1	12.9	22.5	19.4	30.6	5.9	19.0	9.2	0.0	0.0	18.2
		R7	50.0	36.8	26.5	36.4	25.4	8.8	20.6	27.0	23.1	23.8	11.8	15.4	13.3	0.0	22.9
		前年比	50.0	4.4	0.8	16.4	10.3	-4.1	-1.9	7.6	-7.5	17.9	-7.2	6.2	13.3	0.0	4.7
血糖 (空腹時)	100以上	R4	20.0	10.5	22.6	40.0	34.0	20.0	23.0	38.2	26.8	40.0	12.5	21.2	23.1	0.0	25.7
		R5	36.4	16.1	25.0	29.6	34.7	25.9	35.4	37.1	12.5	22.2	11.1	29.2	16.7	26.7	27.1
		R6	18.2	32.4	40.0	25.0	37.7	32.3	29.6	36.1	33.3	29.4	23.8	16.9	28.6	0.0	30.0
		R7	33.3	21.1	23.5	27.3	26.8	23.5	27.9	21.6	23.1	28.6	17.6	16.9	26.7	0.0	23.8
		前年比	15.1	-11.3	-16.5	2.3	-10.9	-8.8	-1.7	-14.5	-10.2	-0.8	-6.2	0.0	-1.9	0.0	-6.2
HbA1c	5.6以上	R4	60.0	42.1	38.7	70.0	56.6	40.0	54.1	23.5	53.7	50.0	18.8	51.5	46.2	0.0	47.7
		R5	45.5	32.3	56.3	74.1	61.2	55.6	53.8	54.3	42.5	63.0	44.4	58.5	58.3	26.7	53.5
		R6	45.5	32.4	48.6	60.0	50.9	48.4	56.3	55.6	63.9	47.1	47.6	47.7	57.1	0.0	51.1
		R7	66.7	63.2	47.1	63.6	54.9	47.1	51.5	51.4	76.9	42.9	41.2	50.8	46.7	0.0	54.2
		前年比	21.2	30.8	-1.5	3.6	4.0	-1.3	-4.8	-4.2	13.0	-4.2	-6.4	3.1	-10.4	0.0	3.1

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1:片瀬地区 2:鵜沼地区 3:辻堂地区 4:村岡地区 5:藤沢地区 6:明治地区 7:善行地区  
8:湘南大庭地区 9:六会地区 10:湘南台地区 11:遠藤地区 12:長後地区 13:御所見地区 14:市外

(単位:%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿糖	±以上	R4	20.0	10.5	3.2	16.7	13.2	13.3	14.8	14.7	14.6	15.0	12.5	18.2	7.7	0.0	13.6
		R5	9.1	12.9	9.4	18.5	8.2	7.4	16.9	14.3	10.0	18.5	5.6	21.5	8.3	6.7	13.4
		R6	18.2	5.9	5.7	15.0	13.2	6.5	11.3	11.1	8.3	11.8	14.3	18.5	7.1	0.0	11.5
		R7	0.0	7.9	11.8	22.7	9.9	8.8	20.6	16.2	7.7	14.3	0.0	15.4	6.7	0.0	12.6
		前年比	-18.2	2.0	6.1	7.7	-3.3	2.3	9.3	5.1	-0.6	2.5	-14.3	-3.1	-0.4	0.0	1.1
中性脂肪	29以下 150以上	R4	20.0	34.2	45.2	33.3	45.3	30.0	34.4	35.3	36.6	55.0	37.5	36.4	23.1	0.0	37.0
		R5	36.4	25.8	46.9	40.7	44.9	22.2	27.7	37.1	27.5	44.4	27.8	30.8	25.0	40.0	33.9
		R6	9.1	38.2	31.4	40.0	30.2	19.4	33.8	27.8	19.4	41.2	38.1	27.7	14.3	0.0	29.5
		R7	16.7	26.3	23.5	50.0	25.4	14.7	26.5	24.3	20.5	28.6	11.8	23.1	13.3	0.0	24.2
		前年比	7.6	-11.9	-7.9	10.0	-4.8	-4.7	-7.3	-3.5	1.1	-12.6	-26.3	-4.6	-1.0	0.0	-5.3
HDL-C	39以下	R4	0.0	10.5	19.4	10.0	24.5	6.7	14.8	14.7	9.8	15.0	12.5	9.1	23.1	0.0	13.6
		R5	9.1	3.2	18.8	3.7	12.2	7.4	13.8	5.7	15.0	22.2	5.6	6.2	8.3	0.0	10.1
		R6	0.0	2.9	14.3	5.0	7.5	0.0	8.5	19.4	8.3	11.8	4.8	9.2	14.3	0.0	8.6
		R7	0.0	7.9	0.0	0.0	5.6	5.9	17.6	18.9	2.6	9.5	0.0	13.8	6.7	0.0	8.8
		前年比	0.0	5.0	-14.3	-5.0	-1.9	5.9	9.1	-0.5	-5.7	-2.3	-4.8	4.6	-7.6	0.0	0.2
LDL-C	59以下 120以上	R4	20.0	44.7	51.6	33.3	47.2	43.3	41.0	41.2	41.5	25.0	31.3	40.9	7.7	50.0	40.2
		R5	45.5	41.9	56.3	44.4	40.8	25.9	36.9	48.6	37.5	40.7	50.0	33.8	0.0	46.7	39.6
		R6	36.4	55.9	57.1	45.0	37.7	41.9	36.6	33.3	36.1	41.2	38.1	32.3	0.0	0.0	38.7
		R7	50.0	47.4	50.0	45.5	32.4	41.2	39.7	48.6	43.6	28.6	35.3	29.2	20.0	0.0	38.8
		前年比	13.6	-8.5	-7.1	0.5	-5.3	-0.7	3.1	15.3	7.5	-12.6	-2.8	-3.1	20.0	0.0	0.1

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
AST (GOT)	31以上	R4	40.0	15.8	29.0	13.3	13.2	10.0	21.3	17.6	14.6	15.0	18.8	16.7	15.4	0.0	17.0
		R5	27.3	19.4	31.3	11.1	26.5	22.2	26.2	31.4	15.0	18.5	33.3	12.3	16.7	26.7	22.0
		R6	9.1	14.7	20.0	5.0	18.9	16.1	18.3	16.7	16.7	17.6	28.6	6.2	35.7	0.0	16.2
		R7	33.3	13.2	11.8	13.6	15.5	11.8	13.2	10.8	12.8	19.0	11.8	7.7	26.7	0.0	13.3
		前年比	24.2	-1.5	-8.2	8.6	-3.4	-4.3	-5.1	-5.9	-3.9	1.4	-16.8	1.5	-9.0	0.0	-2.9
ALT (GPT)	31以上	R4	0.0	13.2	25.8	10.0	18.9	23.3	23.0	26.5	14.6	30.0	50.0	13.6	23.1	50.0	20.2
		R5	0.0	9.7	28.1	14.8	28.6	25.9	21.5	31.4	12.5	14.8	33.3	13.8	16.7	20.0	20.0
		R6	9.1	14.7	17.1	15.0	26.4	16.1	19.7	25.0	22.2	23.5	42.9	7.7	42.9	0.0	20.0
		R7	33.3	21.1	11.8	18.2	21.1	26.5	19.1	13.5	20.5	19.0	17.6	10.8	26.7	0.0	18.4
		前年比	24.2	6.4	-5.3	3.2	-5.3	10.4	-0.6	-11.5	-1.7	-4.5	-25.3	3.1	-16.2	0.0	-1.6
γ-GT	51以上	R4	20.0	23.7	22.6	26.7	26.4	6.7	19.7	35.3	9.8	30.0	31.3	22.7	15.4	50.0	22.3
		R5	18.2	22.6	25.0	25.9	32.7	14.8	20.0	20.0	15.0	22.2	27.8	16.9	8.3	13.3	20.9
		R6	18.2	29.4	20.0	15.0	26.4	12.9	19.7	22.2	11.1	29.4	23.8	15.4	28.6	0.0	20.3
		R7	50.0	21.1	26.5	18.2	19.7	14.7	20.6	13.5	20.5	19.0	11.8	18.5	0.0	0.0	18.8
		前年比	31.8	-8.3	6.5	3.2	-6.7	1.8	0.9	-8.7	9.4	-10.4	-12.0	3.1	-28.6	0.0	-1.5
総蛋白	6.5未満 8.0以上	R4	0.0	7.9	12.9	10.0	9.4	6.7	8.2	14.7	7.3	5.0	0.0	7.6	0.0	0.0	8.2
		R5	0.0	6.5	6.3	3.7	10.2	11.1	9.2	20.0	12.5	18.5	0.0	15.4	0.0	6.7	10.4
		R6	0.0	11.8	8.6	0.0	11.3	0.0	5.6	5.6	11.1	17.6	9.5	9.2	21.4	0.0	8.3
		R7	16.7	13.2	8.8	4.5	14.1	5.9	10.3	2.7	12.8	9.5	0.0	9.2	20.0	0.0	9.9
		前年比	16.7	1.4	0.2	4.5	2.8	5.9	4.7	-2.9	1.7	-8.1	-9.5	0.0	-1.4	0.0	1.6

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
血清 クレアチニン	男性 1.01以上	R4	60.0	34.2	32.3	36.7	28.3	20.0	41.0	44.1	31.7	25.0	37.5	42.4	38.5	0.0	35.2
		R5	36.4	25.8	21.9	33.3	22.4	37.0	36.9	28.6	30.0	33.3	44.4	44.6	41.7	40.0	33.5
	女性 0.71以上	R6	27.3	29.4	17.1	35.0	30.2	41.9	31.0	30.6	38.9	35.3	19.0	36.9	35.7	0.0	31.8
		R7	50.0	31.6	26.5	40.9	21.1	47.1	26.5	32.4	35.9	33.3	41.2	29.2	33.3	0.0	31.3
	前年比	22.7	2.2	9.4	5.9	-9.1	5.2	-4.5	1.8	-3.0	-2.0	22.2	-7.7	-2.4	0.0	-0.5	
eGFR	60未満	R4	60.0	34.2	32.3	36.7	30.2	13.3	36.1	35.3	26.8	30.0	12.5	37.9	30.8	50.0	31.8
		R5	18.2	29.0	21.9	33.3	18.4	25.9	27.7	22.9	27.5	33.3	44.4	41.5	41.7	40.0	29.7
		R6	18.2	20.6	17.1	25.0	24.5	45.2	25.4	36.1	36.1	23.5	19.0	29.2	28.6	0.0	27.5
		R7	66.7	26.3	17.6	40.9	23.9	29.4	23.5	27.0	23.1	33.3	29.4	29.2	26.7	0.0	27.0
		前年比	48.5	5.7	0.5	15.9	-0.6	-15.8	-1.9	-9.1	-13.0	9.8	10.4	0.0	-1.9	0.0	-0.5
eGFR	45未満	R4	0.0	5.3	9.7	0.0	9.4	6.7	6.6	5.9	4.9	5.0	0.0	15.2	0.0	0.0	7.0
		R5	0.0	6.5	6.3	7.4	4.1	7.4	4.6	2.9	7.5	7.4	0.0	16.9	0.0	0.0	6.6
		R6	0.0	8.8	2.9	5.0	3.8	9.7	4.2	5.6	11.1	11.8	0.0	6.2	0.0	0.0	5.6
		R7	0.0	7.9	0.0	9.1	1.4	8.8	2.9	10.8	2.6	4.8	0.0	7.7	0.0	0.0	4.7
		前年比	0.0	-0.9	-2.9	4.1	-2.4	-0.9	-1.3	5.2	-8.5	-7.0	0.0	1.5	0.0	0.0	-0.9
尿蛋白	±以上	R4	40.0	15.8	35.5	23.3	24.5	26.7	31.1	17.6	26.8	20.0	43.8	33.3	30.8	0.0	27.3
		R5	18.2	19.4	34.4	29.6	20.4	33.3	33.8	25.7	32.5	33.3	38.9	23.1	16.7	40.0	28.4
		R6	18.2	23.5	20.0	20.0	26.4	29.0	25.4	30.6	30.6	23.5	42.9	29.2	21.4	0.0	26.8
		R7	0.0	23.7	32.4	27.3	29.6	29.4	23.5	24.3	28.2	28.6	29.4	24.6	6.7	0.0	25.9
		前年比	-18.2	0.2	12.4	7.3	3.2	0.4	-1.9	-6.3	-2.4	5.1	-13.5	-4.6	-14.7	0.0	-0.9

(5-2) 令和7年度 後期高齢者等健康診査における藤沢市内地区別の検査有所見率比較 (生保)

1：片瀬地区 2：鵜沼地区 3：辻堂地区 4：村岡地区 5：藤沢地区 6：明治地区 7：善行地区  
 8：湘南大庭地区 9：六会地区 10：湘南台地区 11：遠藤地区 12：長後地区 13：御所見地区 14：市外

(単位：%)

			1	2	3	4	5	6	7	8	9	10	11	12	13	14	全体
尿潜血	±以上	R4	40.0	44.7	25.8	20.0	20.8	23.3	24.6	32.4	19.5	20.0	31.3	16.7	15.4	50.0	24.5
		R5	27.3	25.8	21.9	22.2	16.3	25.9	32.3	22.9	30.0	33.3	33.3	18.5	16.7	33.3	25.1
		R6	18.2	29.4	20.0	25.0	15.1	41.9	22.5	33.3	38.9	23.5	23.8	21.5	7.1	0.0	25.0
		R7	33.3	26.3	26.5	22.7	21.1	26.5	20.6	27.0	35.9	28.6	47.1	26.2	33.3	0.0	26.6
		前年比	15.1	-3.1	6.5	-2.3	6.0	-15.4	-1.9	-6.3	-3.0	5.1	23.3	4.7	26.2	0.0	1.6
尿酸	2.0以下	R4	0.0	13.2	12.9	3.3	11.3	16.7	13.1	11.8	17.1	5.0	0.0	12.1	7.7	0.0	11.4
	7.1以上	R5	9.1	9.7	12.5	11.1	16.3	11.1	9.2	11.4	15.0	18.5	0.0	9.2	8.3	6.7	11.2
		R6	9.1	14.7	11.4	5.0	11.3	12.9	9.9	2.8	8.3	17.6	9.5	13.8	14.3	0.0	10.8
		R7	0.0	15.8	11.8	18.2	8.5	14.7	5.9	10.8	12.8	23.8	0.0	10.8	0.0	0.0	10.7
		前年比	-9.1	1.1	0.4	13.2	-2.8	1.8	-4.0	8.0	4.5	6.2	-9.5	-3.0	-14.3	0.0	-0.1